

medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE₂ assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1 α for 24 hours. The supernatants are collected and assayed for PGE₂ by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1 α for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

Parkinson Models.

The loss of motor function in Parkinson's disease is attributed to a deficiency of striatal dopamine resulting from the degeneration of the nigrostriatal dopaminergic projection neurons. An animal model for Parkinson's that has been extensively characterized involves the systemic administration of 1-methyl-4 phenyl 1,2,3,6-tetrahydropyridine (MPTP). In the CNS, MPTP is taken-up by astrocytes and catabolized by monoamine oxidase B to 1-methyl-4-phenyl pyridine (MPP⁺) and released. Subsequently, MPP⁺ is actively accumulated in dopaminergic neurons by the high-affinity reuptake transporter for dopamine. MPP⁺ is then concentrated in mitochondria by the electrochemical gradient and selectively inhibits nicotinamide adenine disphosphate: ubiquinone oxidoreductionase (complex I), thereby interfering with electron transport and eventually generating oxygen radicals.

It has been demonstrated in tissue culture paradigms that FGF-2 (basic FGF) has trophic activity towards nigral dopaminergic neurons (Ferrari et al., Dev. Biol. 1989). Recently, Dr. Unsicker's group has demonstrated that administering FGF-2 in gel foam

implants in the striatum results in the near complete protection of nigral dopaminergic neurons from the toxicity associated with MPTP exposure (Otto and Unsicker, J. Neuroscience, 1990).

Based on the data with FGF-2, agonists or antagonists of the invention can be evaluated to determine whether it has an action similar to that of FGF-2 in enhancing dopaminergic neuronal survival *in vitro* and it can also be tested *in vivo* for protection of dopaminergic neurons in the striatum from the damage associated with MPTP treatment. The potential effect of an agonist or antagonist of the invention is first examined *in vitro* in a dopaminergic neuronal cell culture paradigm. The cultures are prepared by dissecting the midbrain floor plate from gestation day 14 Wistar rat embryos. The tissue is dissociated with trypsin and seeded at a density of 200,000 cells/cm² on polyorthinine-laminin coated glass coverslips. The cells are maintained in Dulbecco's Modified Eagle's medium and F12 medium containing hormonal supplements (N1). The cultures are fixed with paraformaldehyde after 8 days *in vitro* and are processed for tyrosine hydroxylase, a specific marker for dopaminergic neurons, immunohistochemical staining. Dissociated cell cultures are prepared from embryonic rats. The culture medium is changed every third day and the factors are also added at that time.

Since the dopaminergic neurons are isolated from animals at gestation day 14, a developmental time which is past the stage when the dopaminergic precursor cells are proliferating, an increase in the number of tyrosine hydroxylase immunopositive neurons would represent an increase in the number of dopaminergic neurons surviving *in vitro*. Therefore, if an agonist or antagonist of the invention acts to prolong the survival of dopaminergic neurons, it would suggest that the agonist or antagonist may be involved in Parkinson's Disease.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 26: The Effect of Agonists or Antagonists of the Invention on the Growth of Vascular Endothelial Cells

On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at $2-5 \times 10^4$ cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnology, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin.

5 An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced. On day 8, cell number is determined with a Coulter Counter.

An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of
10 HUVEC cell indicates that the compound of the invention inhibits vascular endothelial cells.

The studies described in this example tested activity of a polypeptide of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

15 *Example 27: Rat Corneal Wound Healing Model*

This animal model shows the effect of an agonist or antagonist of the invention on neovascularization. The experimental protocol includes:

- a) Making a 1-1.5 mm long incision from the center of cornea into the stromal
20 layer.
- b) Inserting a spatula below the lip of the incision facing the outer corner of the eye.
- c) Making a pocket (its base is 1-1.5 mm from the edge of the eye).
- d) Positioning a pellet, containing 50ng- 5ug of an agonist or antagonist of the
25 invention, within the pocket.
- e) Treatment with an agonist or antagonist of the invention can also be applied topically to the corneal wounds in a dosage range of 20mg - 500mg (daily treatment for five days).

The studies described in this example tested activity of agonists or antagonists of the
30 invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 28: Diabetic Mouse and Glucocorticoid-Impaired Wound Healing Models

A. Diabetic db+/db+ Mouse Model.

To demonstrate that an agonist or antagonist of the invention accelerates the healing process, the genetically diabetic mouse model of wound healing is used. The full thickness wound healing model in the db+/db+ mouse is a well characterized, clinically relevant and reproducible model of impaired wound healing. Healing of the diabetic wound is dependent on formation of granulation tissue and re-epithelialization rather than contraction (Gartner, M.H. *et al.*, *J. Surg. Res.* 52:389 (1992); Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)).

The diabetic animals have many of the characteristic features observed in Type II diabetes mellitus. Homozygous (db+/db+) mice are obese in comparison to their normal heterozygous (db+/+m) littermates. Mutant diabetic (db+/db+) mice have a single autosomal recessive mutation on chromosome 4 (db+) (Coleman *et al.* *Proc. Natl. Acad. Sci. USA* 77:283-293 (1982)). Animals show polyphagia, polydipsia and polyuria. Mutant diabetic mice (db+/db+) have elevated blood glucose, increased or normal insulin levels, and suppressed cell-mediated immunity (Mandel *et al.*, *J. Immunol.* 120:1375 (1978); Debray-Sachs, M. *et al.*, *Clin. Exp. Immunol.* 51(1):1-7 (1983); Leiter *et al.*, *Am. J. of Pathol.* 114:46-55 (1985)). Peripheral neuropathy, myocardial complications, and microvascular lesions, basement membrane thickening and glomerular filtration abnormalities have been described in these animals (Norido, F. *et al.*, *Exp. Neurol.* 83(2):221-232 (1984); Robertson *et al.*, *Diabetes* 29(1):60-67 (1980); Giacomelli *et al.*, *Lab Invest.* 40(4):460-473 (1979); Coleman, D.L., *Diabetes* 31 (Suppl):1-6 (1982)). These homozygous diabetic mice develop hyperglycemia that is resistant to insulin analogous to human type II diabetes (Mandel *et al.*, *J. Immunol.* 120:1375-1377 (1978)).

The characteristics observed in these animals suggests that healing in this model may be similar to the healing observed in human diabetes (Greenhalgh, *et al.*, *Am. J. of Pathol.* 136:1235-1246 (1990)).

Genetically diabetic female C57BL/KsJ (db+/db+) mice and their non-diabetic (db+/+m) heterozygous littermates are used in this study (Jackson Laboratories). The animals are purchased at 6 weeks of age and are 8 weeks old at the beginning of the study. Animals are individually housed and received food and water ad libitum. All manipulations

are performed using aseptic techniques. The experiments are conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

Wounding protocol is performed according to previously reported methods (Tsuboi, R. and Rifkin, D.B., *J. Exp. Med.* 172:245-251 (1990)). Briefly, on the day of wounding, animals are anesthetized with an intraperitoneal injection of Avertin (0.01 mg/mL), 2,2,2-tribromoethanol and 2-methyl-2-butanol dissolved in deionized water. The dorsal region of the animal is shaved and the skin washed with 70% ethanol solution and iodine. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is then created using a Keyes tissue punch. Immediately following wounding, the surrounding skin is gently stretched to eliminate wound expansion. The wounds are left open for the duration of the experiment. Application of the treatment is given topically for 5 consecutive days commencing on the day of wounding. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of surgery and at two day intervals thereafter. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

An agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology and immunohistochemistry. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Three groups of 10 animals each (5 diabetic and 5 non-diabetic controls) are evaluated: 1) Vehicle placebo control, 2) untreated group, and 3) treated group.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total square area of the wound. Contraction is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are

made using the following formula:

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

5 Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using a Reichert-Jung microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds are used to assess whether the healing process and the morphologic appearance of the repaired skin is altered by treatment with an
10 agonist or antagonist of the invention. This assessment included verification of the presence of cell accumulation, inflammatory cells, capillaries, fibroblasts, re-epithelialization and epidermal maturity (Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)). A calibrated lens micrometer is used by a blinded observer.

Tissue sections are also stained immunohistochemically with a polyclonal rabbit anti-
15 human keratin antibody using ABC Elite detection system. Human skin is used as a positive tissue control while non-immune IgG is used as a negative control. Keratinocyte growth is determined by evaluating the extent of reepithelialization of the wound using a calibrated lens micrometer.

Proliferating cell nuclear antigen/cyclin (PCNA) in skin specimens is demonstrated
20 by using anti-PCNA antibody (1:50) with an ABC Elite detection system. Human colon cancer served as a positive tissue control and human brain tissue is used as a negative tissue control. Each specimen included a section with omission of the primary antibody and substitution with non-immune mouse IgG. Ranking of these sections is based on the extent of proliferation on a scale of 0-8, the lower side of the scale reflecting slight proliferation to
25 the higher side reflecting intense proliferation.

Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.

B. Steroid Impaired Rat Model

30 The inhibition of wound healing by steroids has been well documented in various *in vitro* and *in vivo* systems (Wahl, Glucocorticoids and Wound healing. In: Anti-Inflammatory Steroid Action: Basic and Clinical Aspects. 280-302 (1989); Wahlet *al.*, *J. Immunol.* 115: 476-481

(1975); Werb *et al.*, *J. Exp. Med.* 147:1684-1694 (1978)). Glucocorticoids retard wound healing by inhibiting angiogenesis, decreasing vascular permeability (Ebert *et al.*, *An. Intern. Med.* 37:701-705 (1952)), fibroblast proliferation, and collagen synthesis (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978)) and
5 producing a transient reduction of circulating monocytes (Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", *In: Antiinflammatory Steroid Action: Basic and Clinical Aspects*, Academic Press, New York, pp. 280-302 (1989)). The systemic administration of steroids to impaired wound healing is a well establish phenomenon in rats (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J.*
10 *Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", *In: Antiinflammatory Steroid Action: Basic and Clinical Aspects*, Academic Press, New York, pp. 280-302 (1989); Pierce *et al.*, *Proc. Natl. Acad. Sci. USA* 86: 2229-2233 (1989)).

To demonstrate that an agonist or antagonist of the invention can accelerate the healing process, the effects of multiple topical applications of the agonist or antagonist on
15 full thickness excisional skin wounds in rats in which healing has been impaired by the systemic administration of methylprednisolone is assessed.

Young adult male Sprague Dawley rats weighing 250-300 g (Charles River Laboratories) are used in this example. The animals are purchased at 8 weeks of age and are 9 weeks old at the beginning of the study. The healing response of rats is impaired by the
20 systemic administration of methylprednisolone (17mg/kg/rat intramuscularly) at the time of wounding. Animals are individually housed and received food and water *ad libitum*. All manipulations are performed using aseptic techniques. This study is conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

25 The wounding protocol is followed according to section A, above. On the day of wounding, animals are anesthetized with an intramuscular injection of ketamine (50 mg/kg) and xylazine (5 mg/kg). The dorsal region of the animal is shaved and the skin washed with 70% ethanol and iodine solutions. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is created using a Keyes tissue punch. The
30 wounds are left open for the duration of the experiment. Applications of the testing materials are given topically once a day for 7 consecutive days commencing on the day of wounding and subsequent to methylprednisolone administration. Prior to treatment, wounds are gently

cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of wounding and at the end of treatment. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

The agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Four groups of 10 animals each (5 with methylprednisolone and 5 without glucocorticoid) are evaluated: 1) Untreated group 2) Vehicle placebo control 3) treated groups.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total area of the wound. Closure is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are made using the following formula:

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using an Olympus microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds allows assessment of whether the healing process and the morphologic appearance of the repaired skin is improved by treatment with an agonist or antagonist of the invention. A calibrated lens micrometer is used by a blinded observer to determine the distance of the wound gap.

Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is

considered significant.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

5

Example 29: Lymphadema Animal Model

The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.

15 Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to injecting dye into paws after marking 2 measurement levels
20 (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.

Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used
25 to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.

Using a microscope, muscles in back of the leg (near the semitendinosus and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal
30 and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then and ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

Care is taken to control any mild bleeding resulting from this procedure. After lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck). The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when
5 necessary.

To avoid infection, animals are housed individually with mesh (no bedding). Recovering animals are checked daily through the optimal edematous peak, which typically occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each
10 paw before operation and daily for 7 days are measured. The effect plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also investigated. The weights of both control and edematous limbs are evaluated at 2 places. Analysis is performed in a blind manner.

Circumference Measurements: Under brief gas anesthetic to prevent limb movement,
15 a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people then those 2 readings are averaged. Readings are taken from both control and edematous limbs.

Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief
20 halothane anesthetic (rapid immobilization and quick recovery), both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped into instrument to each marked level then measured by Buxco edema software(Chen/Victor). Data is recorded by one person, while the other is dipping the limb to marked area.

Blood-plasma protein measurements: Blood is drawn, spun, and serum separated
25 prior to surgery and then at conclusion for total protein and Ca²⁺ comparison.

Limb Weight Comparison: After drawing blood, the animal is prepared for tissue collection. The limbs are amputated using a quillitine, then both experimental and control legs are cut at the ligature and weighed. A second weighing is done as the tibio-cacaneal joint is disarticulated and the foot is weighed.

30 Histological Preparations: The transverse muscle located behind the knee (popliteal) area is dissected and arranged in a metal mold, filled with freezeGel, dipped into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning,

the muscle is observed under fluorescent microscopy for lymphatics..

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

5

Example 30: Suppression of TNF alpha-induced adhesion molecule expression by a Agonist or Antagonist of the Invention

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves
10 specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The
15 expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a
20 stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.

The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a
25 treated ECs when co-stimulated with a member of the FGF family of proteins.

To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures are obtained from pooled cord harvests and maintained in growth medium (EGM-2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO₂. HUVECs are seeded in 96-well
30 plates at concentrations of 1×10^4 cells/well in EGM medium at 37 degree C for 18-24 hrs or until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml penicillin and 100 mg/ml streptomycin, and

treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 µl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min.

Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10 µl of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 µg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.

Then add 20 µl of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 (10^0) > $10^{-0.5}$ > 10^{-1} > $10^{-1.5}$. 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNPP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 31: Production Of Polypeptide of the Invention For High-Throughput Screening Assays

The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 33-42.

First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (1mg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of 50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.

Plate 293T cells (do not carry cells past P+20) at 2×10^5 cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.

The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert should be transfected with each set of transfections.

Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on PBS. First, person A aspirates off the media from four 24-well plates of cells, and then person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a 12-channel pipetter with tips on every other channel, adds the 200ul of

DNA/Lipofectamine/Optimem I complex to the odd wells first, then to the even wells, to each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl₂ (anhyd); 0.00130 mg/L CuSO₄-5H₂O; 0.050 mg/L of Fe(NO₃)₃-9H₂O; 0.417 mg/L of FeSO₄-7H₂O; 311.80 mg/L of KCl; 28.64 mg/L of MgCl₂; 48.84 mg/L of MgSO₄; 6995.50 mg/L of NaCl; 2400.0 mg/L of NaHCO₃; 62.50 mg/L of NaH₂PO₄-H₂O; 71.02 mg/L of Na₂HPO₄; .4320 mg/L of ZnSO₄-7H₂O; .002 mg/L of Arachidonic Acid ; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitric Acid; 0.010 mg/L of Palmitic Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L-Arginine-HCL; 7.50 mg/ml of L-Asparagine-H₂O; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H₂O; 31.29 mg/ml of L-Cystine-2HCL; 7.35 mg/ml of L-Glutamic Acid; 365.0 mg/ml of L-Glutamine; 18.75 mg/ml of Glycine; 52.48 mg/ml of L-Histidine-HCL-H₂O; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalanine; 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tyrosine-2Na-2H₂O; and 99.65 mg/ml of L-Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B₁₂; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.

5 On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 33-40.

It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant. Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

15 *Example 32: Construction of GAS Reporter Construct*

One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferon-sensitive responsive element ("ISRE"), located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class I, cells after treatment with IL-12. Stat5 was originally called mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.

The STATs are activated to translocate from the cytoplasm to the nucleus upon tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive

in resting cells.

The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Darnell, Ann. Rev. Biochem. 64:621-51 (1995).) A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN-a, IFN-g, and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xxx-Trp-Ser (SEQ ID NO:1882)).

Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is encompassed in the Jaks-STATs signal transduction pathway.

Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway. (See Table below.) Thus, by using GAS elements linked to reporter molecules, activators of the Jaks-STATs pathway can be identified.

	<u>Ligand</u>	<u>JAKs</u>				<u>STATS GAS(elements) or ISRE</u>	
		<u>tyk2</u>	<u>Jak1</u>	<u>Jak2</u>	<u>Jak3</u>		
	<u>IFN family</u>						
5	IFN-a/B	+	+	-	-	1,2,3	ISRE
	IFN-g (IRF1>Lys6>IFP)		+	+	-	1	GAS
	Il-10	+	?	?	-	1,3	
10	<u>gp130 family</u>						
	IL-6 (Pleiotrohic) (IRF1>Lys6>IFP)	+	+	+	?	1,3	GAS
	Il-11(Pleiotrohic)	?	+	?	?	1,3	
	OnM(Pleiotrohic)	?	+	+	?	1,3	
15	LIF(Pleiotrohic)	?	+	+	?	1,3	
	CNTF(Pleiotrohic)	-/+	+	+	?	1,3	
	G-CSF(Pleiotrohic)	?	+	?	?	1,3	
	IL-12(Pleiotrohic)	+	-	+	+	1,3	
20	<u>g-C family</u>						
	IL-2 (lymphocytes)	-	+	-	+	1,3,5	GAS
	IL-4 (lymph/myeloid) >>Ly6)(IgH)	-	+	-	+	6	GAS (IRF1 = IFP
	IL-7 (lymphocytes)	-	+	-	+	5	GAS
25	IL-9 (lymphocytes)	-	+	-	+	5	GAS
	IL-13 (lymphocyte)	-	+	?	?	6	GAS
	IL-15	?	+	?	+	5	GAS
	<u>gp140 family</u>						
30	IL-3 (myeloid) (IRF1>IFP>>Ly6)	-	-	+	-	5	GAS
	IL-5 (myeloid)	-	-	+	-	5	GAS
	GM-CSF (myeloid)	-	-	+	-	5	GAS

Growth hormone family

	GH	?	-	+	-	5	
	PRL	?	+/-	+	-	1,3,5	
5	EPO	?	-	+	-	5	GAS(B-
	CAS>IRF1=IFP>>Ly6)						

Receptor Tyrosine Kinases

10	EGF	?	+	+	-	1,3	GAS (IRF1)
	PDGF	?	+	+	-	1,3	
	CSF-1	?	+	+	-	1,3	GAS (not IRF1)

To construct a synthetic GAS containing promoter element, which is used in the Biological Assays described in Examples 33-34, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., *Immunity* 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

10 5':GCGCCTCGAGATTTCCTCCGAAATCTAGATTTCCTCCGAAATGATTTCCTCCGAAATGATTTCCTCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO:1883)

The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1884)

15 PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:

20 5':CTCGAGATTTCCTCCGAAATCTAGATTTCCTCCGAAATGATTTCCTCCGAAATGATTTCCTCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCTAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTTGGAGGCCTA
25 GGCTTTTTGCAAAAAGCTT:3' (SEQ ID NO:1885)

With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be instead of SEAP, in this or in any of the other Examples. Well known reporter molecules that can be used instead of SEAP include chloramphenicol

30

acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

Thus, in order to generate mammalian stable cell lines expressing the GAS-SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using SalI and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding as described in Examples 33-34.

Other constructs can be made using the above description and replacing GAS with a different promoter sequence. For example, construction of reporter molecules containing NFK-B and EGR promoter sequences are described in Examples 35 and 36. However, many other promoters can be substituted using the protocols described in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, IL-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

25

Example 33: High-Throughput Screening Assay for T-cell Activity.

The following protocol is used to assess T-cell activity by identifying factors, and determining whether supernate containing a polypeptide of the invention proliferates and/or differentiates T-cells. T-cell activity is assessed using the

30

GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The T-cell used in this assay is Jurkat T-cells (ATCC Accession No. TIB-152), although Molt-3 cells (ATCC Accession No. CRL-1552) and Molt-4 cells (ATCC
5 Accession No. CRL-1582) cells can also be used.

Jurkat T-cells are lymphoblastic CD4⁺ Th1 helper cells. In order to generate stable cell lines, approximately 2 million Jurkat cells are transfected with the GAS-SEAP/neo vector using DMRIE-C (Life Technologies)(transfection procedure described below). The transfected cells are seeded to a density of approximately
10 20,000 cells per well and transfectants resistant to 1 mg/ml gentamicin selected. Resistant colonies are expanded and then tested for their response to increasing concentrations of interferon gamma. The dose response of a selected clone is demonstrated.

Specifically, the following protocol will yield sufficient cells for 75 wells
15 containing 200 ul of cells. Thus, it is either scaled up, or performed in multiple to generate sufficient cells for multiple 96 well plates. Jurkat cells are maintained in RPMI + 10% serum with 1%Pen-Strep. Combine 2.5 mls of OPTI-MEM (Life Technologies) with 10 ug of plasmid DNA in a T25 flask. Add 2.5 ml OPTI-MEM containing 50 ul of DMRIE-C and incubate at room temperature for 15-45 mins.

20 During the incubation period, count cell concentration, spin down the required number of cells (10^7 per transfection), and resuspend in OPTI-MEM to a final concentration of 10^7 cells/ml. Then add 1ml of 1×10^7 cells in OPTI-MEM to T25 flask and incubate at 37 degree C for 6 hrs. After the incubation, add 10 ml of RPMI + 15% serum.

25 The Jurkat:GAS-SEAP stable reporter lines are maintained in RPMI + 10% serum, 1 mg/ml Gentamicin, and 1% Pen-Strep. These cells are treated with supernatants containing polypeptide of the present invention or polypeptide of the present invention induced polypeptides as produced by the protocol described in Example 31.

30 On the day of treatment with the supernatant, the cells should be washed and

resuspended in fresh RPMI + 10% serum to a density of 500,000 cells per ml. The exact number of cells required will depend on the number of supernatants being screened. For one 96 well plate, approximately 10 million cells (for 10 plates, 100 million cells) are required.

- 5 Transfer the cells to a triangular reservoir boat, in order to dispense the cells into a 96 well dish, using a 12 channel pipette. Using a 12 channel pipette, transfer 200 ul of cells into each well (therefore adding 100, 000 cells per well).

After all the plates have been seeded, 50 ul of the supernatants are transferred directly from the 96 well plate containing the supernatants into each well using a 12
10 channel pipette. In addition, a dose of exogenous interferon gamma (0.1, 1.0, 10 ng) is added to wells H9, H10, and H11 to serve as additional positive controls for the assay.

The 96 well dishes containing Jurkat cells treated with supernatants are placed in an incubator for 48 hrs (note: this time is variable between 48-72 hrs). 35 ul
15 samples from each well are then transferred to an opaque 96 well plate using a 12 channel pipette. The opaque plates should be covered (using sellophane covers) and stored at -20 degree C until SEAP assays are performed according to Example 37. The plates containing the remaining treated cells are placed at 4 degree C and serve as a source of material for repeating the assay on a specific well if desired.

- 20 As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate Jurkat T cells. Over 30 fold induction is typically observed in the positive control wells.

The above protocol may be used in the generation of both transient, as well as, stable transfected cells, which would be apparent to those of skill in the art.

25

Example 34: High-Throughput Screening Assay Identifying Myeloid Activity

The following protocol is used to assess myeloid activity of polypeptide of the present invention by determining whether polypeptide of the present invention
30 proliferates and/or differentiates myeloid cells. Myeloid cell activity is assessed using

the GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The myeloid cell used in this assay is U937, a pre-monocyte cell line, although TF-1, HL60, or KG1 can be used.

5 To transiently transfect U937 cells with the GAS/SEAP/Neo construct produced in Example 32, a DEAE-Dextran method (Kharbanda et. al., 1994, Cell Growth & Differentiation, 5:259-265) is used. First, harvest 2×10^7 U937 cells and wash with PBS. The U937 cells are usually grown in RPMI 1640 medium containing 10% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml
10 penicillin and 100 mg/ml streptomycin.

Next, suspend the cells in 1 ml of 20 mM Tris-HCl (pH 7.4) buffer containing 0.5 mg/ml DEAE-Dextran, 8 ug GAS-SEAP2 plasmid DNA, 140 mM NaCl, 5 mM KCl, 375 uM $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$, 1 mM MgCl_2 , and 675 uM CaCl_2 . Incubate at 37 degrees C for 45 min.

15 Wash the cells with RPMI 1640 medium containing 10% FBS and then resuspend in 10 ml complete medium and incubate at 37 degree C for 36 hr.

The GAS-SEAP/U937 stable cells are obtained by growing the cells in 400 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 400 ug/ml G418 for couple of passages.

20 These cells are tested by harvesting 1×10^8 cells (this is enough for ten 96-well plates assay) and wash with PBS. Suspend the cells in 200 ml above described growth medium, with a final density of 5×10^5 cells/ml. Plate 200 ul cells per well in the 96-well plate (or 1×10^5 cells/well).

Add 50 ul of the supernatant prepared by the protocol described in Example
25 31. Incubate at 37 degree C for 48 to 72 hr. As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate U937 cells. Over 30 fold induction is typically observed in the positive control wells. SEAP assay the supernatant according to the protocol described in Example 37.

30 *Example 35: High-Throughput Screening Assay Identifying Neuronal Activity.*

When cells undergo differentiation and proliferation, a group of genes are activated through many different signal transduction pathways. One of these genes, EGR1 (early growth response gene 1), is induced in various tissues and cell types upon activation. The promoter of EGR1 is responsible for such induction. Using the EGR1 promoter linked to reporter molecules, activation of cells can be assessed by polypeptide of the present invention.

Particularly, the following protocol is used to assess neuronal activity in PC12 cell lines. PC12 cells (rat pheochromocytoma cells) are known to proliferate and/or differentiate by activation with a number of mitogens, such as TPA (tetradecanoyl phorbol acetate), NGF (nerve growth factor), and EGF (epidermal growth factor). The EGR1 gene expression is activated during this treatment. Thus, by stably transfecting PC12 cells with a construct containing an EGR promoter linked to SEAP reporter, activation of PC12 cells by polypeptide of the present invention can be assessed.

The EGR/SEAP reporter construct can be assembled by the following protocol. The EGR-1 promoter sequence (-633 to +1)(Sakamoto K et al., Oncogene 6:867-871 (1991)) can be PCR amplified from human genomic DNA using the following primers:

5' GCGCTCGAGGGATGACAGCGATAGAACCCCGG -3' (SEQ ID NO: 1886)
5' GCGAAGCTTCGCGACTCCCCGGATCCGCCTC-3' (SEQ ID NO: 1887)

Using the GAS:SEAP/Neo vector produced in Example 32, EGR1 amplified product can then be inserted into this vector. Linearize the GAS:SEAP/Neo vector using restriction enzymes XhoI/HindIII, removing the GAS/SV40 stuffer. Restrict the EGR1 amplified product with these same enzymes. Ligate the vector and the EGR1 promoter.

To prepare 96 well-plates for cell culture, two mls of a coating solution (1:30 dilution of collagen type I (Upstate Biotech Inc. Cat#08-115) in 30% ethanol (filter

sterilized)) is added per one 10 cm plate or 50 ml per well of the 96-well plate, and allowed to air dry for 2 hr.

PC12 cells are routinely grown in RPMI-1640 medium (Bio Whittaker) containing 10% horse serum (JRH BIOSCIENCES, Cat. # 12449-78P), 5% heat-
5 inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 ug/ml streptomycin on a precoated 10 cm tissue culture dish. One to four split is done every three to four days. Cells are removed from the plates by scraping and resuspended with pipetting up and down for more than 15 times.

Transfect the EGR/SEAP/Neo construct into PC12 using the Lipofectamine
10 protocol described in Example 31. EGR-SEAP/PC12 stable cells are obtained by growing the cells in 300 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 300 ug/ml G418 for couple of passages.

To assay for neuronal activity, a 10 cm plate with cells around 70 to 80%
15 confluent is screened by removing the old medium. Wash the cells once with PBS (Phosphate buffered saline). Then starve the cells in low serum medium (RPMI-1640 containing 1% horse serum and 0.5% FBS with antibiotics) overnight.

The next morning, remove the medium and wash the cells with PBS. Scrape off the cells from the plate, suspend the cells well in 2 ml low serum medium. Count
20 the cell number and add more low serum medium to reach final cell density as 5×10^5 cells/ml.

Add 200 ul of the cell suspension to each well of 96-well plate (equivalent to 1×10^5 cells/well). Add 50 ul supernatant produced by Example 31, 37 degree C for 48 to 72 hr. As a positive control, a growth factor known to activate PC12 cells
25 through EGR can be used, such as 50 ng/ul of Neuronal Growth Factor (NGF). Over fifty-fold induction of SEAP is typically seen in the positive control wells. SEAP assay the supernatant according to Example 37.

Example 36: High-Throughput Screening Assay for T-cell Activity

NF-KB (Nuclear Factor KB) is a transcription factor activated by a wide variety of agents including the inflammatory cytokines IL-1 and TNF, CD30 and CD40, lymphotoxin-alpha and lymphotoxin-beta, by exposure to LPS or thrombin, and by expression of certain viral gene products. As a transcription factor, NF-KB
5 regulates the expression of genes involved in immune cell activation, control of apoptosis (NF- KB appears to shield cells from apoptosis), B and T-cell development, anti-viral and antimicrobial responses, and multiple stress responses.

In non-stimulated conditions, NF- KB is retained in the cytoplasm with I-KB (Inhibitor KB). However, upon stimulation, I- KB is phosphorylated and degraded,
10 causing NF- KB to shuttle to the nucleus, thereby activating transcription of target genes. Target genes activated by NF- KB include IL-2, IL-6, GM-CSF, ICAM-1 and class I MHC.

Due to its central role and ability to respond to a range of stimuli, reporter constructs utilizing the NF-KB promoter element are used to screen the supernatants
15 produced in Example 31. Activators or inhibitors of NF-KB would be useful in treating, preventing, and/or diagnosing diseases. For example, inhibitors of NF-KB could be used to treat those diseases related to the acute or chronic activation of NF-KB, such as rheumatoid arthritis.

To construct a vector containing the NF-KB promoter element, a PCR based
20 strategy is employed. The upstream primer contains four tandem copies of the NF-KB binding site (GGGGACTTTCCC) (SEQ ID NO:1888), 18 bp of sequence complementary to the 5' end of the SV40 early promoter sequence, and is flanked with an XhoI site:

5':GCGGCCTCGAGGGGACTTTCCCGGGGACTTCCGGGGACTTCCGGGAC
25 TTTCCATCCTGCCATCTCAATTAG:3' (SEQ ID NO:1889)

The downstream primer is complementary to the 3' end of the SV40 promoter and is flanked with a Hind III site:

5':GCGGCAAGCTTTTGTCAAAGCCTAGGC:3' (SEQ ID NO:1884)

PCR amplification is performed using the SV40 promoter template present in
30 the pB-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is

digested with XhoI and Hind III and subcloned into BLSK2-. (Stratagene)
Sequencing with the T7 and T3 primers confirms the insert contains the following
sequence:

5':CTCGAGGGGACTTTCCCGGGGACTTTCCGGGGACTTTCCGGGACTTTCC
5 ATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCC
ATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGA
CTAATTTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTA
TTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAA
GCTT:3' (SEQ ID NO:1890)

10 Next, replace the SV40 minimal promoter element present in the pSEAP2-
promoter plasmid (Clontech) with this NF-KB/SV40 fragment using XhoI and
HindIII. However, this vector does not contain a neomycin resistance gene, and
therefore, is not preferred for mammalian expression systems.

In order to generate stable mammalian cell lines, the NF-KB/SV40/SEAP
15 cassette is removed from the above NF-KB/SEAP vector using restriction enzymes
Sall and NotI, and inserted into a vector containing neomycin resistance. Particularly,
the NF-KB/SV40/SEAP cassette was inserted into pGFP-1 (Clontech), replacing the
GFP gene, after restricting pGFP-1 with Sall and NotI.

Once NF-KB/SV40/SEAP/Neo vector is created, stable Jurkat T-cells are
20 created and maintained according to the protocol described in Example 33. Similarly,
the method for assaying supernatants with these stable Jurkat T-cells is also described
in Example 33. As a positive control, exogenous TNF alpha (0.1,1, 10 ng) is added to
wells H9, H10, and H11, with a 5-10 fold activation typically observed.

25 *Example 37: Assay for SEAP Activity*

As a reporter molecule for the assays described in Examples 33-36, SEAP
activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the
following general procedure. The Tropix Phospho-light Kit supplies the Dilution,
30 Assay, and Reaction Buffers used below.

Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.

- 5 Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the table below). Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it
- 10 takes about 10 minutes to read 5 plates on luminometer, one should treat 5 plates at each time and start the second set 10 minutes later.

Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

15 Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5
17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6

527

23	125	6.25
24	130	6.5
25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12
47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

Example 38: High-Throughput Screening Assay Identifying Changes in Small

Molecule Concentration and Membrane Permeability

Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.

10 The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule, fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.

15 For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO₂ incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.

20 A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO₂ incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.

25 For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to $2-5 \times 10^6$ cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The cells are washed twice with HBSS, resuspended to 1×10^6 cells/ml, and dispensed into a microplate, 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to
30 100 ul final volume.

For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4. The supernatant is added to the well, and a change in fluorescence is detected.

To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm; and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule, either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular Ca^{++} concentration.

Example 40: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity

The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase (RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.

Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine

kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

Seed target cells (e.g., primary keratinocytes) at a density of approximately
5 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from
Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with
100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr
with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or
polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St.
10 Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford, MA), or
calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is
assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of
cell number through use of alamarBlue as described by the manufacturer Alamar
Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from
15 Becton Dickinson (Bedford, MA) are used to cover the Loprodyne Silent Screen
Plates. Falcon Microtest III cell culture plates can also be used in some proliferation
experiments.

To prepare extracts, A431 cells are seeded onto the nylon membranes of
Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium.
20 Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20
minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in
Example 31, the medium was removed and 100 ml of extraction buffer ((20 mM
HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na₃VO₄, 2 mM
Na₄P₂O₇ and a cocktail of protease inhibitors (# 1836170) obtained from
25 Boehringer Mannheim (Indianapolis, IN) is added to each well and the plate is
shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a
vacuum transfer manifold and the extract filtered through the 0.45 mm membrane
bottoms of each well using house vacuum. Extracts are collected in a 96-well
catch/assay plate in the bottom of the vacuum manifold and immediately placed on
30 ice. To obtain extracts clarified by centrifugation, the content of each well, after

detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described here.

Generally, the tyrosine kinase activity of a supernatant is evaluated by determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.

The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg₂⁺ (5mM ATP/50mM MgCl₂), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride, pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM MgCl₂, 5 mM MnCl₂, 0.5 mg/ml BSA), then 5ul of Sodium Vanadate(1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initial the reaction by adding 10ul of the control enzyme or the filtered supernatant.

The tyrosine kinase assay reaction is then terminated by adding 10 ul of 120mM EDTA and place the reactions on ice.

Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul of anti-phosphotyrosine antibody conjugated to horse radish peroxidase(anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.

Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the absorbance of the sample at 405 nm by using ELISA reader. The level of bound

peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

Example 41: High-Throughput Screening Assay Identifying Phosphorylation Activity

5

As a potential alternative and/or compliment to the assay of protein tyrosine kinase activity described in Example 40, an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP, Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.

15 Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.

25 A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 31 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.

After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit)

30

antibody (1ug/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the present invention or a molecule induced by polypeptide of the present invention.

Example 42: Assay for the Stimulation of Bone Marrow CD34+ Cell Proliferation

10

This assay is based on the ability of human CD34+ to proliferate in the presence of hematopoietic growth factors and evaluates the ability of isolated polypeptides expressed in mammalian cells to stimulate proliferation of CD34+ cells.

It has been previously shown that most mature precursors will respond to only a single signal. More immature precursors require at least two signals to respond. Therefore, to test the effect of polypeptides on hematopoietic activity of a wide range of progenitor cells, the assay contains a given polypeptide in the presence or absence of other hematopoietic growth factors. Isolated cells are cultured for 5 days in the presence of Stem Cell Factor (SCF) in combination with tested sample. SCF alone has a very limited effect on the proliferation of bone marrow (BM) cells, acting in such conditions only as a "survival" factor. However, combined with any factor exhibiting stimulatory effect on these cells (e.g., IL-3), SCF will cause a synergistic effect. Therefore, if the tested polypeptide has a stimulatory effect on a hematopoietic progenitors, such activity can be easily detected. Since normal BM cells have a low level of cycling cells, it is likely that any inhibitory effect of a given polypeptide, or agonists or antagonists thereof, might not be detected. Accordingly, assays for an inhibitory effect on progenitors is preferably tested in cells that are first subjected to *in vitro* stimulation with SCF+IL+3, and then contacted with the compound that is being evaluated for inhibition of such induced proliferation.

30 Briefly, CD34+ cells are isolated using methods known in the art. The cells

are thawed and resuspended in medium (QBSF 60 serum-free medium with 1% L-glutamine (500ml) Quality Biological, Inc., Gaithersburg, MD Cat# 160-204-101). After several gentle centrifugation steps at 200 x g, cells are allowed to rest for one hour. The cell count is adjusted to 2.5×10^5 cells/ml. During this time, 100 μ l of
5 sterile water is added to the peripheral wells of a 96-well plate. The cytokines that can be tested with a given polypeptide in this assay is rhSCF (R&D Systems, Minneapolis, MN, Cat# 255-SC) at 50 ng/ml alone and in combination with rhSCF and rhIL-3 (R&D Systems, Minneapolis, MN, Cat# 203-ML) at 30 ng/ml. After one hour, 10 μ l of prepared cytokines, 50 μ l of the supernatants prepared in Example 31
10 (supernatants at 1:2 dilution = 50 μ l) and 20 μ l of diluted cells are added to the media which is already present in the wells to allow for a final total volume of 100 μ l. The plates are then placed in a 37°C/5% CO₂ incubator for five days.

Eighteen hours before the assay is harvested, 0.5 μ Ci/well of [3H] Thymidine is added in a 10 μ l volume to each well to determine the proliferation rate. The
15 experiment is terminated by harvesting the cells from each 96-well plate to a filtermat using the Tomtec Harvester 96. After harvesting, the filtermats are dried, trimmed and placed into OmniFilter assemblies consisting of one OmniFilter plate and one OmniFilter Tray. 60 μ l Microscint is added to each well and the plate sealed with TopSeal-A press-on sealing film. A bar code 15 sticker is affixed to the first plate for
20 counting. The sealed plates is then loaded and the level of radioactivity determined via the Packard Top Count and the printed data collected for analysis. The level of radioactivity reflects the amount of cell proliferation.

The studies described in this example test the activity of a given polypeptide to stimulate bone marrow CD34+ cell proliferation. One skilled in the art could
25 easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof. As a nonlimiting example, potential antagonists tested in this assay would be expected to inhibit cell proliferation in the presence of cytokines and/or to increase the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.
30 In contrast, potential agonists tested in this assay would be expected to enhance cell

proliferation and/or to decrease the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.

The ability of a gene to stimulate the proliferation of bone marrow CD34+ cells indicates that polynucleotides and polypeptides corresponding to the gene are
5 useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein.

Example 43: Assay for Extracellular Matrix Enhanced Cell Response (EMECR)

10

The objective of the Extracellular Matrix Enhanced Cell Response (EMECR) assay is to identify gene products (e.g., isolated polypeptides) that act on the hematopoietic stem cells in the context of the extracellular matrix (ECM) induced signal.

15 Cells respond to the regulatory factors in the context of signal(s) received from the surrounding microenvironment. For example, fibroblasts, and endothelial and epithelial stem cells fail to replicate in the absence of signals from the ECM. Hematopoietic stem cells can undergo self-renewal in the bone marrow, but not in *in vitro* suspension culture. The ability of stem cells to undergo self-renewal *in vitro* is
20 dependent upon their interaction with the stromal cells and the ECM protein fibronectin (fn). Adhesion of cells to fn is mediated by the $\alpha_5\beta_1$ and $\alpha_4\beta_1$ integrin receptors, which are expressed by human and mouse hematopoietic stem cells. The factor(s) which integrate with the ECM environment and responsible for stimulating stem cell self-renewal has not yet been identified. Discovery of such factors should
25 be of great interest in gene therapy and bone marrow transplant applications

Briefly, polystyrene, non tissue culture treated, 96-well plates are coated with fn fragment at a coating concentration of $0.2 \mu\text{g}/\text{cm}^2$. Mouse bone marrow cells are plated (1,000 cells/well) in 0.2 ml of serum-free medium. Cells cultured in the presence of IL-3 (5 ng/ml) + SCF (50 ng/ml) would serve as the positive control.

conditions under which little self-renewal but pronounced differentiation of the stem cells is to be expected. Gene products of the invention (e.g., including, but not limited to, polynucleotides and polypeptides of the present invention, and supernatants produced in Example 31), are tested with appropriate negative controls in the presence and absence of SCF(5.0 ng/ml), where test factor supernates represent 10% of the total assay volume. The plated cells are then allowed to grow by incubating in a low oxygen environment (5% CO₂, 7% O₂, and 88% N₂) tissue culture incubator for 7 days. The number of proliferating cells within the wells is then quantitated by measuring thymidine incorporation into cellular DNA. Verification of the positive hits in the assay will require phenotypic characterization of the cells, which can be accomplished by scaling up of the culture system and using appropriate antibody reagents against cell surface antigens and FACScan.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

If a particular polypeptide of the present invention is found to be a stimulator of hematopoietic progenitors, polynucleotides and polypeptides corresponding to the gene encoding said polypeptide may be useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein. The gene product may also be useful in the expansion of stem cells and committed progenitors of various blood lineages, and in the differentiation and/or proliferation of various cell types.

Additionally, the polynucleotides and/or polypeptides of the gene of interest and/or agonists and/or antagonists thereof, may also be employed to inhibit the proliferation and differentiation of hematopoietic cells and therefore may be employed to protect bone marrow stem cells from chemotherapeutic agents during chemotherapy. This antiproliferative effect may allow administration of higher doses of chemotherapeutic agents and, therefore, more effective chemotherapeutic treatment.

Moreover, polynucleotides and polypeptides corresponding to the gene of interest may also be useful for the treatment and diagnosis of hematopoietic related disorders such as, for example, anemia, pancytopenia, leukopenia, thrombocytopenia or leukemia since stromal cells are important in the production of cells of hematopoietic lineages. The uses include bone marrow cell ex-vivo culture, bone marrow transplantation, bone marrow reconstitution, radiotherapy or chemotherapy of neoplasia.

Example 44: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation

10

The polypeptide of interest is added to cultures of normal human dermal fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two co-assays are performed with each sample. The first assay examines the effect of the polypeptide of interest on the proliferation of normal human dermal fibroblasts (NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or smooth muscle cells is a part of several pathological processes, including fibrosis, and restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6 production is an indication of functional activation. Activated cells will have increased production of a number of cytokines and other factors, which can result in a proinflammatory or immunomodulatory outcome. Assays are run with and without co-TNF α stimulation, in order to check for costimulatory or inhibitory activity.

Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF) or 2000 cells/well (AoSMC) in 100 μ l culture media. NHDF culture media contains: Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin, 2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5 μ g/ml hEGF, 5mg/ml insulin, 1 μ g/ml hFGF, 50mg/ml gentamycin, 50 μ g/ml Amphotericin B, 5%FBS. After incubation at 37°C for at least 4-5 hours, culture media is aspirated and replaced with growth arrest media. Growth arrest media for NHDF contains fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for AoSMC contains SM basal media, 50mg/ml gentamycin, 50 μ g/ml Amphotericin B,

30

0.4% FBS. Incubate at 37°C until day 2.

On day 2, serial dilutions and templates of the polypeptide of interest are designed such that they always include media controls and known-protein controls. For both stimulation and inhibition experiments, proteins are diluted in growth arrest
5 media. For inhibition experiments, TNF α is added to a final concentration of 2ng/ml (NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides of the present invention and incubate at 37°C/5% CO₂ until day 5.

Transfer 60 μ l from each well to another labeled 96-well plate, cover with a plate-sealer, and store at 4°C until Day 6 (for IL6 ELISA). To the remaining 100 μ l in
10 the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10 μ l). Return plates to incubator for 3 to 4 hours. Then measure fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100
15 μ l/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.

On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200 μ l/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash
20 buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50 μ l/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker. Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin
25 1:1000 in Assay buffer, and add 100 μ l/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels. Add 100 μ l/well of Enhancement Solution and shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay are tabulated and averaged.

30 A positive result in this assay suggests AoSMC cell proliferation and that the

polypeptide of the present invention may be involved in dermal fibroblast proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result.

5 For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present invention and polynucleotides of the present invention may be used in wound healing and dermal regeneration, as well as the promotion of vasculogenesis, both of the blood vessels and lymphatics. The growth of vessels can be used in the treatment of,

10 for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular (e.g., anti-angiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign

15 tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye;

20 rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia;

25 hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

One skilled in the art could easily modify the exemplified studies to test the

30 activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

Example 45: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells

5

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100 μ l of 199 Medium (10% fetal bovine serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 μ l volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μ l of 0.1% paraformaldehyde-PBS(with Ca⁺⁺ and Mg⁺⁺) is added to each well. Plates are held at 4°C for 30 min. Fixative is removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10 μ l of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three times with PBS(+Ca,Mg) + 0.5% BSA. 20 μ l of diluted ExtrAvidin-Alkaline

Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 (10^0) > $10^{-0.5}$ > 10^{-1} > $10^{-1.5}$. 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNPP reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The plate is read on a plate reader at 405 nm using the background subtraction option on blank wells filled with glycine buffer only. Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

Example 46: Alamar Blue Endothelial Cells Proliferation Assay

This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng /ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

Briefly, LEC, BAECs or UTMECs are seeded in growth media at a density of 5000 to 2000 cells/well in a 96 well plate and placed at 37-C overnight. After the

overnight incubation of the cells. the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM) in triplicate wells with additional bFGF to a concentration of 10 ng/ ml. Once the cells have been treated with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.

Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth causes the indicator to change from oxidized (non-fluorescent blue) form to reduced (fluorescent red) form. i.e. stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity. The background level of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and protein dilutions.

Example 47: Detection of Inhibition of a Mixed Lymphocyte Reaction

This assay can be used to detect and evaluate inhibition of a Mixed Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides

since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease, host vs. graft disease, hepatitis, leukemia and lymphoma.

Briefly, PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM[®], density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are adjusted to 2×10^6 cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is adjusted to 2×10^5 cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50 μ l) is added in triplicate to microtiter wells. Test samples (of the protein of interest) are added for final dilution of 1:4; rhuIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1 μ g/ml; anti-CD4 mAb (R&D Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10 μ g/ml. Cells are cultured for 7-8 days at 37°C in 5% CO₂, and 1 μ C of [³H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as recombinant material or supernatant), which enhances proliferation of lymphocytes.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in the Background of the Invention, Detailed Description, and Examples is hereby incorporated herein by reference. Further, the hard copy of the sequence listing submitted herewith and the corresponding computer readable form are both incorporated herein by reference in their entireties. Moreover, the hard copy of and the corresponding computer readable form of the Sequence Listing of Serial No. 60/124,270 are also incorporated herein by reference in their entireties.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209059
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g. "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 209059**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner. the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209059

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209060
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Shirley B. Barnes PCT/Internat'l Appl Processing Div (703) 305-3865</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No.: 209060**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner. the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office). or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209060

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by an applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209061
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 209061**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209061

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209062
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

ATCC Deposit No.: 209062**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209062**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209063
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
<div> <div>For receiving Office use only</div> <input checked="" type="checkbox"/> This sheet was received with the international application </div> <div> Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665 </div>	<div> <div>For International Bureau use only</div> <input type="checkbox"/> This sheet was received by the International Bureau on: </div> <div> Authorized officer </div>

ATCC Deposit No.: 209063**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209063**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209064
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No.: 209064**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209064**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209065
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No.: 209065**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209065**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209066</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3865	Authorized officer

ATCC Deposit No.: 209066

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209066

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by an applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Authorized officer Samuel D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer
--	---

ATCC Deposit No.: 209067

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209067

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209068
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p><input checked="" type="checkbox"/> For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on.</p> <p>Authorized officer</p>
---	--

ATCC Deposit No.: 209068

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209068

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13/bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209069</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) <u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer

ATCC Deposit No.: 209069

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209069**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209579
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 306-3865	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer

ATCC Deposit No.: 209579

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209579**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209578
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 209578

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 209578**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by an applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 306-3665	Authorized officer

ATCC Deposit No.: 203067

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 203067**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203068
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 203068**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 203068**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 01 February 1999	Accession Number 203609
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on: _____
Authorized officer Steven D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 203609

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 203609**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 01 February 1999	Accession Number 203610
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 203610**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 203610**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 17 November 1998	Accession Number 203485
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: 203485

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: 203485**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-252
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: PTA-252**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: PTA-252**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-253
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: PTA-253

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: PTA-253**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA101PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>100</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 22 December 1999	Accession Number PTA-1081
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Sonya D. Barnes PCT/Internat'l Appl Processing Div (703) 305-3665	Authorized officer

ATCC Deposit No.: PTA-1081**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

ATCC Deposit No.: PTA-1081

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

What Is Claimed Is:

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:
- (a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
 - (b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
 - (c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
 - (d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
 - (e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
 - (f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X, having biological activity;
 - (g) a polynucleotide which is a variant of SEQ ID NO:X;
 - (h) a polynucleotide which is an allelic variant of SEQ ID NO:X;
 - (i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;
 - (j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not hybridize under stringent conditions to a nucleic acid molecule having a nucleotide

sequence of only A residues or of only T residues.

2. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding a protein.

5

3. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding the sequence identified as SEQ ID NO:Y or the polypeptide encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

10

4. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises the entire nucleotide sequence of SEQ ID NO:X or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

15

5. The isolated nucleic acid molecule of claim 2, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

20

6. The isolated nucleic acid molecule of claim 3, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

25

7. A recombinant vector comprising the isolated nucleic acid molecule of claim 1.

8. A method of making a recombinant host cell comprising the isolated nucleic acid molecule of claim 1.

30

9. A recombinant host cell produced by the method of claim 8.

10. The recombinant host cell of claim 9 comprising vector sequences.
11. An isolated polypeptide comprising an amino acid sequence at least
5 95% identical to a sequence selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (b) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone, having biological activity;
 - 10 (c) a polypeptide domain of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (d) a polypeptide epitope of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (e) a full length protein of SEQ ID NO:Y or of the sequence encoded by the
15 cDNA included in the related cDNA clone;
 - (f) a variant of SEQ ID NO:Y;
 - (g) an allelic variant of SEQ ID NO:Y; or
 - (h) a species homologue of the SEQ ID NO:Y.
- 20 12. The isolated polypeptide of claim 11, wherein the full length protein comprises sequential amino acid deletions from either the C-terminus or the N-terminus.
13. An isolated antibody that binds specifically to the isolated polypeptide
25 of claim 11.
14. A recombinant host cell that expresses the isolated polypeptide of claim 11.
- 30 15. A method of making an isolated polypeptide comprising:

(a) culturing the recombinant host cell of claim 14 under conditions such that said polypeptide is expressed; and

(b) recovering said polypeptide.

5 16. The polypeptide produced by claim 15.

17. A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11 or the polynucleotide of claim 1.

10

18. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

(a) determining the presence or absence of a mutation in the polynucleotide of claim 1; and

15 (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of said mutation.

19. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

20 (a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide.

25 20. A method for identifying a binding partner to the polypeptide of claim 11 comprising:

(a) contacting the polypeptide of claim 11 with a binding partner; and

(b) determining whether the binding partner effects an activity of the polypeptide.

30

21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.
22. A method of identifying an activity in a biological assay, wherein the method comprises:
- 5 (a) expressing SEQ ID NO:X in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity.
- 10 23. The product produced by the method of claim 20.

SEQUENCE LISTING

<110> Craig Rosen,
Steve Ruben

<120> Human Prostate Cancer Associated Gene Sequences and Polypeptides

<130> PA101PCT

<140> Unassigned

<141> 2000-03-08

<150> 60/124,270

<151> 1999-03-12

<160> 1890

<170> PatentIn Ver. 2.0

<210> 1

<211> 717

<212> DNA

<213> Homo sapiens

<400> 1

```
ggcacgagtg tgccctgcctg cctgggttatg ccggcgatgg gcaccagtgc actgatgtag 60
atgaatgctc agaaaacaga tgtcaccctg cagctacctg ctacaatact cctggttcct 120
tctcctgccg ttgtcaaccc ggrtattatg gggatggatt tcagtgcata cctgactcca 180
cctcaagcct gacaccctgt gaacaacagc agcgccatgc ccaggcccag tatgcctacc 240
ctggggcccg gttccacatc cccaatgcg acgagcaggg caacttcctg cccctacagt 300
gtcatggcag cactggtttc tgctggtgcg tggaccctga tggtcatgaa gtccctggta 360
cccagactcc acctggctcc accccrcctc actgtggacc atcaccagag cccaccaga 420
ggcccccgac catctgtgag cgctggaggg aaaacctgct ggagcactac ggtggcacc 480
cccgrgatga ccagtacgtg cccagtgcg atgacctggg ccacttcac cccctgcagt 540
gccacggaaa gagcgacttc tgctggtgtg tggacaaaga tggcagagag gtgcagggca 600
ccggctkccc agccaggcac cccccctgcg tgtataccca ccgtcgctcc amccatggtc 660
cggcccacgc cccggccaga tgtgkaccct ccactctgtg gcaacttcct ggtgcta 717
```

<210> 2

<211> 1625

<212> DNA

<213> Homo sapiens

<400> 2

```
caagaacaaa tctgaaggag gcctctgaca tcaagcttga accaaatacg ttgaatggct 60
ataaaagcag tgtgacggaa ccttgccccg acagtgggtg acagctgcag ccagctcctg 120
tgctgcagga ggaagaactg gctcatgaga ctgcacaaaa aggggaggca aagtgtcata 180
agagtgcac aggcattgtc aaaaagaagt cagcacaagg aaaacttgtg aaacagtttg 240
caaaaataga ggaatctact ccagtgcacg attctcctgg aaaagacgac gcggtaccag 300
atttgatggg tccccattct gaccaggggtg agcacagtgg cactgtgggc gtgcctgtga 360
gctacacaga ctgtgctcct tcacccgtcg gttgttcagt tgtgacatca gatagcttca 420
```

```
gaacaaaaga cagcttttaga actgcaaaaa gtaaaaagaa gaggcgaatc acaaggatat 480
atgcacagtt aatcctagaa aataactctg ggattcccaa attgactctt cgtaggcgctc 540
atgatagcag cagcaaaaca aatgaccaag agaatgatgg aatgaactct tccaaaataa 600
gcatcaagtt aagcaaagac catgacaacg ataacaatct ctatgtagca aagcttaata 660
atggatttaa ctcaggatca ggcagtagtt ctacaaaatt aaaaatccag ctaaaacgag 720
atgaggaaaa taggggggtct tatacagagg ggcttcatga aaatgggggtg tgctgcagtg 780
atcctctttc tctcttggag tctcgaatgg aggtggatga ctatagtcag tatgaggaa 840
aaagtacaga tgattcctcc tcttctgagg gcgatgaaga ggaggatgac tatgatgatg 900
actttgaaga cgattttatt cctcttcctc cagctaagcg cttgaggtta atagttggaa 960
aagactctat agatattgac atttcttcaa ggagaagaga agatcagtct ttaaggctta 1020
atgcctaagc tcttggtcctt aacttgacct gggataacta ctttaaagaa ataaaaaatt 1080
ccagtcattt attcctcaac tgaaagttaa gtggcagcac ttctattgtc ccttcactta 1140
tcagcatact attgtagaaa gtgtacagca tactgactca attcttaagt ctgatttgtg 1200
caaatTTTTt tctgtactttt taaatagcct tcttacgtgc aattctgagt tagaggtaaa 1260
gccctgttgt aaaataaagg ctcaagcaaa attgtacagt gatagcaact ttccacacag 1320
gacgttgaaa acagtaatgt ggctacacag tttttttaac tgtaagagca tcagctggct 1380
ctttaataata tgactaaaca ataattttaa acaaatcata gtagcagcat attaagggtt 1440
tctagtatgc taatatcacc agcaatgac tttggctttt tgatttattt gctagatgtt 1500
tcccccttgg agttttgtca gtttcacact gtttgctggc ccaggtgtac tgtttgtggc 1560
ctttgttaat atcgcaaacc attggttggg agtcagattg gtttcttaaa aaaaaaaaaa 1620
aaaaa 1625
```

<210> 3

<211> 2435

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (2433)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (2434)
 <223> n equals a,t,g, or c

<400> 3
 ggggaaaatt tcccccgng gggctctgnaa ccccccaaca ggccgggtccc ngncaaagakk 60
 wrasttscmk ttgsygsttg yctktcytst gtgtgtgtga aattatgaan tcttttgaaa 120
 gtttgccgcg cggamcaggt ttctgtgtgt tacaactcat tagattttga accagagata 180
 ttctttgcct tggggctctcc aattgctatg ttctcacta ttccaggagt tgataggata 240
 gatgagaatt acagccttcc tacctgtaaa gggttcttca atatttatca tccgcttgat 300
 ccagtggcat atagattaga acctatgatt gttccagatt tggacctaaa agctgttctc 360
 attccacatc acaaaggcag aaaaagactt catttagaat tgaaagagag tctctctcgt 420
 atgggatctg ctttgaagca gggttttatt agctcttca aaagtgcctg gcagacatta 480
 aatgagtttg ccctgtctca tacgtcttca acccagttgc aagaagaatt ggagaaggtg 540
 gccaatcaga tcaaagaaga agaagaaaag caagtagttg aagcagaaaa ggttggtgaa 600
 agtccagatt ttccaagga tgaggactac ttaggaaagg ttggaaagg taaatggagg 660
 ccgccgrawt tgactacgtt ctccaagaaa aaccaataga gagttttaat ggaatacctt 720
 ttcgctcttc cagagtcact tatgtatttg ggcaatctga agatactgct ctgttactac 780
 ttaaagaaat ttatcgaaca atgaacatta gtccagaaca gcccagcat tgatcaaact 840
 tcagttttac tgtactttct tgtctgcaca gaaagtccca gtacaacttc cattgctgag 900
 aaaatcctca gaggactttc ccacttcgct cctgtgatgg atgacagaag agtgattcat 960
 taacaattgc tcagccacaa ttctcgata tagggattca aaagacagga tacagaacta 1020
 acacagtga aaaaatcagt accacatttg gacagtatag gtgagaaaac ataattataa 1080
 aaatgatgcc atgaaaaatt ccacagatca gtttagttgt atagttgtca aagttatatg 1140
 tgatatcaat gaagaaatat ttgtagcatg taaacggta ttctgtttc ttaaaaagta 1200
 ttgttagtg gctattaaac ttggattttt ctttttatta atgcagtatg ttctttttat 1260
 tcaagtatga acttgttgag aaactatagt aatatgattt ttaagagatt tatgttctac 1320
 ttaaaatgtg aattgtactt ctgagctgcc ttaatgcaag gtcatttata tttgttaaga 1380
 ggaaataatc aagatcactc atatcccaac tgaatctgag gttttataaa tccctcaaac 1440
 gattgctgag agcctgattg tggaaagaag tgagatgcac cttattttca agaagtcctg 1500
 ggaagcgctc tcctagcacg tccattttcca ggaggagaag caagcagatg agaggttttc 1560
 cattttgtca tccaaggtag ctgtgcactt gccttggtgc tgaagttcca ataatgtgaa 1620
 aaaccaaagt agaggttttt ttcttcttct ttttgttttc tattaatttc acttatacca 1680
 aagtgtttga aagtatgaaa tgtgttgctt ctgagttata taaggctact tcatgacaag 1740
 actgctttgt aatatttcac tttgttttac taaaaattca gatcactttg ttttactata 1800
 aattcagatt atccaaatat tttcctaata ctatgtggga atgctgattt tccctttgtt 1860
 acgtagtgg aacattttgc attgtttaca tagttctcat ggaacatgga aatttttgaa 1920
 agtgatatat gatacacatt tttgtgtat gtattctaata tagtgtgaat aaagcagtaa 1980
 cattaatgca ttttttaagc agccaaactt atgtatttct cttgtctcyc cttaaaagtg 2040
 tccccctga acctcagtg ttaatcccc ctttycat ttagtacctg ccttatatgg 2100
 tccagtatgt aacgttagca ttggcyccct aatggtagaa ttagaacagc aagattgtag 2160
 agcctgtaat tgactcccag acaacataga ttccagccca cctcattcct acagctgagg 2220
 cccaggacaa taaatgcctt tcccagactg ggtagtgga gatctgggat ggaatatggg 2280
 tttcttgatt ccctttcagc cttcatttct ctctctcag actactactt tttaattact 2340

```

tttcacttaa tttcccaata ctgatgaaat aaagaaaaat gaggggttatt tatatacatt 2400
tcaataaaaat ccaatttgat ttttcaactt aannt 2435

```

<210> 4

<211> 986

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<400> 4

```

ccgagttgac cccacggtct gagatgtcca agctgcccac agacagcagt gtcccgcaga 60
caggcgcggc gaatgggtgac agagacgtcc cgcaggcgga gaatacaaga gcttgaagaa 120
cgccgcagga ntctcgtgga agcctgcaga gcaaggggaag cagcgtttga tgccgaatat 180
cagcgaatac ctcacagggt ggacctcgat attttaacct ttacgatagc tctgactgcc 240
tctgaagtta tcaaccctct gatagaagaa cttgggtgag ataagtttat caatagagaa 300
tagttagggtg gtgacactac ttcaagagaa cctctgcatt ccagtcatac caatcctgca 360
acttgatttt cagaagtcaa gagtatatcg cgataagaca gtgcacagggt ggaggggaaa 420
aaaaggggga gggggaagct tatcttgaaa aagcatcaca gaagtagaaa aaaatgtcga 480
aagcattata actgtaacgt tctttgagtt tgtgattgat ccacattttt cccctgcat 540
tatgaaaaat gtctctcagc attgctttat taaaaagtaa aggatgggtt tataaaattg 600
agactgatga aacatcaata ctagagccca tgaggatgaa agaaattatc aaatagtgtc 660
gaacagaata agatgttaac gctgagttat taggactgga aggctatgaa aagaacttga 720
aattgtcggg atatgtgtc tcttcattgc atattcaata gaagtttcta gtttaagatt 780
gatttttgtt tttcttaggc atttcaagt acaagcaaag taaatgtata tattatgtga 840
taaatacatgt tttcaagaac gtcaaatttc tggacttttt tctttcaatt ttttaatttt 900
aaagtgtttt tggattataa aaatctattc acaagccaaa aaatatataa aatatacagc 960
gaaaagccaa aaaaaaaaaa aaaaac 986

```

<210> 5

<211> 370

<212> DNA

<213> Homo sapiens

<400> 5

```

tagtggtacc cccgggtgac aggaattccg agccccctggc gtccagcaag atgagcgcc 60
tgccagccca atccattcaa cctacatccc aattcccact tcagcaattt gtgccacagg 120
atctaattggc tctgccccaa cagcaatctc agtacaatgc ttgtccccctg ccaccacagg 180
ctcagcatca gtagatctct gttgtaccag agatatttct ctgttacctg gagagccacc 240
tattgtgtgt cccacagggt tttttggccc cttgcccact ggcagtgtcg gtttgcatt 300
tgatctctca agcctaaatt taaaagggtg tcaagtacat actggtgtaa ttgattctga 360
tattcagggtg 370

```

<210> 6

<211> 511

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (511)
<223> n equals a,t,g, or c

<400> 6
atgagtcatt gtgcttggct ccaaaatctt taaagcctat ctaaaatggt ctctttgatt 60
tcatgccaca aaatttgta gctccacctt taaaatatat ttagattaag acctctcttc 120
atcaccaccc tgctgtcacc ctaacaaagc aaccatcatc tctcaaaata aatcctaata 180
tccttagggc ttcctaggcc tactctttat gccccaggct acctatccag gtgaatctct 240
tccagttctc ctccatgaat ttctgtctca cagaatgcat gtaccattgc actttgtaac 300
gtcagtctct cccaccagac aatgatcaga ttcttagttg tctctttata cccattcaca 360
gtgcactgac tgagcacaaa tttaaggctt caataaatgg taagtgaatg aataatgaat 420
gaatgaatgc tacaatatgg attataatgg ataaagagat atattgacct gcttgacaga 480
aagccgaggg gggcaaagta aaatgggcct n 511

<210> 7
<211> 718
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (565)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (630)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (634)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (676)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (702)
<223> n equals a,t,g, or c

<400> 7
gcgacggcct gacgtcggcg gaggggaagcc ggcccaggct cggtgaggag gcaaggttct 60
gaggggacag gctgacstgg aggrccagag gccccggag gagcactgaa ggagaagatc 120
tgccagtggg tctccattgc ccagctcctg cccacactcc cgcctgttgc cctgaccaga 180
gtcatcatgc ctcttgagca gaggagtcag cactgcaagc ctgaagaagg ccttgaggcc 240

```

cgaggagagg ccctgggcct ggtgggtgcg cagctcctgc tactgaggag caggaggctg 300
cctcctcctc ttctamtcta rttgaagtca ccctggggga ggtgcctgct gccgagtcac 360
cagatcctcc ccagagtcct cagggagcct ccagcctccc camtaccatg aactaccctc 420
tctggagcca atcctatgag gactccagca accaagaaga ggaggggcca agcaccttcc 480
ctgacctgga gtctgagttc caagcagcac tcagtaggaa ggtggccaag ttggttcatt 540
ttctgctcct caagtatcga gccanggagc cggtcacaaa ggcagaaatg ctggggagtg 600
tcgtcggaat attggcaagt acttcttttn ctngatcctt caagcaaaag ctttccgatt 660
tcctttgcaa cttggncttt tggcattcga agcttgaatg gnaagtggga cccccatt 718

```

<210> 8

<211> 445

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (411)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<400> 8

```

aattcggcac gagctgcact cccggctgga caacagagca agactgtgtc tcaaaaaaat 60
aaaaataaaa ataaaaataaa ataaaaagaa aaaaggaaaag aaaagaaagt gtaagacata 120
tttgatacat aatttggccg agtttatcca taaattctat gtcttccttt ttatctcctt 180
tcataattct acaccctgct gtggcctggc caacataatg atttaggtga tctagagttt 240
agtcaaatct gataattgat tgtaattgct tagaaattta ccacaaaaat cgctctgttt 300
tctttgggat tgctcctaac ttttcacttc ttttgagggc tgcacacgct gtntcagca 360
gtactggctc ccagccactg ggggaagaaa gaaatgcatg gtaggacagc ncttaccaat 420
tccttttaat tgcnaattc gaagc 445

```

<210> 9

<211> 758

<212> DNA

<213> Homo sapiens

<400> 9

```

gtgggactac attctctgtg ccgggcttag agaacacgaa gagggagcca tctgccacac 60
tctggaggct gaagcctgca ccagtgtgtc tcgctcact gtggtaggtg gtggtgatgg 120
aaactgcaga tcggccagag tggtagaaaa gttgtgtcag ggtttttctg gctttgcctg 180
cccagccgct ccatgcctgg ctagaggaga aggaggagcc acatgtggta cactggaggc 240
tggagcctgc agatggcatg gctctgcggc tcaccttgct gcagttgggt gtggtgacag 300
agactgcagc ttgactgtag tgaatttgga aattatctgt ctggaagctc tgagttttatc 360

```


ttggggacctc aagaggagag gatcacccaa ctcacagcaa tcaaactcca aatgggtgctg 420
taaactgaac cacacatgga caggccattc ttccgaggac ccttagattg atcccagggg 480
gagccctagc tgctattccc cattcaacgc ccccttttcag caggaagtag ccagaaggag 540
tcgcccgcga aaatccccta acagcagtta gtgtggcatc tccacaggaa gtaatgttgt 600
aggagttaact aagaaattat tttaggcaga tagagaggaa aaggggtcct tgggaagtgt 660
tcatttttita aagcatctct ggaaaagttt cttgtaaagc cccggctctt agagccaggc 720
tggcaacctt tgatatgcaa atgtaagcca ttagaaac 758

<210> 10

<211> 3064

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1375)

<223> n equals a,t,g, or c

<400> 10

gcccgtggca ccgagacctg tggccttatt caggtgaccc tgttggacac agtggagctg 60
gccacataca ctgtgcgcac cttgcgactc cacaagagtg gctccagtga gaagcgtgag 120
ctgcgtcagt ttcagttcat ggcttggcca gaccatggag ttcttgagta cccaactccc 180
atcctggcct tctacgacg ggtcaaggcc tgcaaccccc tagacgcagg gcccatgggtg 240
gtgcactgca gcgcgggctg gggccgcacc ggctgcttca tcgtgattga tgccatgttg 300
gagcggatga agcagcagaa gacggtggac atctatggcc acgtgacctg catgcgatca 360
cagaggaact acatggtgca gacggaggac cagtacgtgt tcattccatga ggcgctgctg 420
gaggctgcca cgtgcggcca cacagaggtg cctgcccgcg acctgtatgc ccacatccag 480
aagctggggc aagtgcctcc aggggagagt gtgaccgcca tggagctcga gttcaagttg 540
ctggccagct ccaaggccca cactgcccgc ttcatcagcg ccaacctgcc ctgcaacaag 600
ttcaagaacc ggctggtgaa catcatgccc tacgaattga cccgtgtgtg tctgcagccc 660
atccgtgggtg tggagggtc tgactacatc aatgccagct tcttggatgg ttatagacag 720
cagaaggcct acatagctac acaggggcct ctggcagaga gcaccgagga cttctggcgc 780
atgctatggg agcacaattc caccatcatc gtcattgctga ccaagcttcg ggagatgggc 840
agggagaaat gccaccagta ctggccagca gagcgctctg ctgctacca gtactttgtt 900
gttgacccga tggctgagta caacatgccc cagtatatcc tgcgtgagtt caaggtcacg 960
gatgcccggg atgggcagtc aaggacaatc cggcagttcc agttcacaga ctggccagag 1020
cagggcggtg ccaagacagg cgagggattc attgacttca tcgggcaggt gcataagacc 1080
aaggagcagt ttggacagga tgggcctatc acggtgcaact gcagtgtgtg cgtgggcccgc 1140
accggggtgt tcatcactct gagcatcgtc ctggagcgca tgcgctayga gggcggtgtc 1200
gacatgtttc agaccgtgaa gaccctgcgt acacagcgtc ctgccatggt gcagacagag 1260
gaccagtatc agctgtgcta ccgtgcggcc ctggagtacc tcggcagctt tgaccactat 1320
gcaacgtaac taccgtccc ctctcctccg ccacccccgc cgtggggctc cggangggac 1380
ccagctcctc tgagccatac cgaccatcgt ccagccctcc tacgcagatg ctgtcactgg 1440
cagagcacag cccacgggga tcacagcgtt tcaggaacgt tgccacacca atcagagagc 1500
ctagaacatc cctgggcaag tggatggccc agcaggcagg cactgtggcc cttctgtcca 1560
ccagaccac ctggagccc cttcaagctc tctgttgctc tcccgcatth ctcatgcttc 1620
ttctcatggg gtggggttg ggcaaagcct cttttttaat acattaagtg gggtagactg 1680
agggatttta gcctcttccc tctgattttt cttttcgcga atccgtatct gcagaatggg 1740
ccactgtagg ggttggggtt tattttgttt tgtttttttt tttcttgagt tcaacttgga 1800
tccttatttt gtatgacttc tgctgaagga cagaacattg ccttcctcgt gcagagctgg 1860
ggctgccagc ctgagcggag gctcggccgt gggccgggag gcagtgtgta tccggctgct 1920

```
cctccagccc ttcagacgag atcctgtttc agctaaatgc agggaaactc aatgtttttt 1980
taagttttgt tttcccttta aagccttttt ttaggccaca ttgacagtgg tgggcgggga 2040
gaagataggg aacactcatc cctggtcgtc tatcccagtg tgtgtttaac attcacagcc 2100
cagaaccaca gatgtgtctg ggagagcctg gcaaggcatt cctcatcacc atcgtgtttg 2160
caaaggttta acaaaaaaca aaaaaccaca aaaataaaaa acaaaaaaaa caaaaaacc 2220
aagaaaaaaa aaaagagtca gcccttggct tctgcttcaa accctcaaga ggggaagcaa 2280
ctccgtgtgc ctgggggttc cgagggagct gctggctgac ctggggccac agagcctggc 2340
tttgggtccc agcattgcag tatggtgtgg tgtttgtagg ctgtggggtc tggctgtgtg 2400
gccaaggtga atagcacagg ttagggtgtg tgccacaccc catgcacctc agggccaagc 2460
gggggcgtgg ctggcctttc aggtccaggc cagtgggcct ggtagcacat gtctgtcctc 2520
agagcagggg ccagatgatt ttccctccctg gtttgcagct gttttcaaag cccccgataa 2580
tcgctctttt cactccaag atgccctcat aaaccaatgt ggcaagacta ctggacttct 2640
atcaatggta ctctaatacag tccttattat cccagcttgc tgaggggcag ggagagcgcc 2700
tcttccctcg ggcagcgcta tctagatagg taagtggggg cggggaaagg tgcatagctg 2760
tttttagctga gggagctggg gccgacgtcc ccaaaccctag ctaggctaag tcaagatcaa 2820
cattccaggg ttggtaatgt tggatgatga aacattcatt tttacctgtt ggatgctagt 2880
gctgtagagt tcactgttgt acacagctctg ttttctattt gttaagaaaa actacagcat 2940
cattgcataa ttcttgatgg taataaattt gaataatcag atttcttaca aaaaaaaaaa 3000
aaaaaaaaaa aaaacycgrg gggggggccc gtaccaatt cgcctatag tgagtcgtat 3060
acaa 3064
```

<210> 11

<211> 1496

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (643)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1478)

<223> n equals a,t,g, or c

<400> 11

```
agaacagcaa ggtgggcatt tcccggaatt gtgtgcagat gcatccagtc gtggcattgc 60
aagaagtctg tctgatgaag ctcggaagc attttgcaat attccctttg gctgtgttcc 120
tgtgttccct gctccactt ttcttccctt ggtttgtgat tattaggaga gaggttttgc 180
aaagactcgt tgctgtgaaa gaatcttttt ttaattttta tcctagagtc agtcactttt 240
attccaggta gtcattgtga tcttcttctc caaagccagc taaccagggt catcctacca 300
tcctcatgga agactgtgtg tatgaattgg agtaacagaa ctgaaataca cttaaacagt 360
gacagcagta cttcccaggg tgggggccc atttctctgt gtcctactct gagcaacttc 420
tcagagatac gaggggggcta ggggttttccc atctgggaaa tggggtgaaa gtctgcagat 480
tgttaaatga aatatagaat cagagaaaaa gaaaagtcag tgatataaat agatcatttc 540
atagaaatta gggtagattt ttatttcaac tactactgga gaatttaata aaaggcatta 600
tttgaaaagt ttttctaaca tagatttagg gttttttttt ttnagagtgg acacactaca 660
tttaaaagca attattttgc tattcagatt ttttattatc tgaaaatgaa attatctgtt 720
ttacttttca aagctttgtg aaacaaactt gaagttagg ggaggtaagc catctccaac 780
tctgcaggtc aaacgaaagt ttgggaaata cttttgacat cccacaatac agaattgtctt 840
```

```
aacatgagaa ttgaatttca tgatgtgtgg ttccatttaa tagcggacac caccccaatc 900
tcatgttttc ctgttaccct aaaacagtgg aaggaaactg ggtgtttggt agacttctaa 960
atcatgggtct ctgacaattt gaatctgaga ttctcacctc catttactaa agaatcgtga 1020
cttaattcaa attgcacagt aatcagtaaa gtgaatacgt ttttaaaatg gaattttctc 1080
ccttcagcaa gcactcatta aggagtggag ctgagtattt taagatagag tgagatctgt 1140
gagtgattga aaggtgatat ttaaaaactt ggatttcatt ccagtgtcag gtttgggttt 1200
taagttcctt tgggccaggg aagggtccaa gcagccacag ttgccctaaa tctccatcat 1260
taagtcttcc agcaaggtta agtgacgtat ggaaggagaa gggggaagag gacggtaacg 1320
gccccacact ccaggctgag aaagagtaat taggaggcct gasgaggggc cgaggaaagg 1380
ctgttggggg gtgctggggg tggtagccga gcgccttccc ctcacctcaa ccagagaaga 1440
gcatccggtt gcttttttaa gcttttagcc tgccctanca cggacaaaagc atgtta 1496
```

<210> 12

<211> 1427

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1407)

<223> n equals a,t,g, or c

<400> 12

```
ctagttcttc ctctccacgc ggttgagaag accggtcggc ctgggcaacc tgcgctgaag 60
atgccgggaa aactccgtag tgacgctggt ttggaatcag acaccgcaat gaaaaaagg 120
gagacactgc gaaagcaaac cgaggagaaa gagaaaaaag agaagccaaa atctgataag 180
actgaagaga tagcagaaga ggaagaaact gttttcccca aagctaaaca agttaaaaag 240
aaagcagagc cttctgaagt tgacatgaat tctcctaaat ccaaaaaggc aaaaaagaaa 300
gaggagccat ctcaaaatga ctttctcctt aaaacccaaa gtttgagaaa gaaaaaggag 360
cccattgaaa agaaagtggg ttcttctaaa accaaaaaag tgacaaaaaa tgaggagcct 420
tctgaggaag aaatagatgc tctaagccc aagaagatga agaaagaaaa ggaaatgaat 480
ggagaaaacta gagagaaaag ccccaaactg aagaatggat ttctcatcc tgaaccggac 540
tgtaacccca gtgaagctgc cagtgaagaa agtaacagtg agatagagca ggaaatacct 600
gtggaacaaa aagaaggcgc tttctctaatt tttcccatat ctgaagaaac tattaacctt 660
ctcaaaaggcc gaggagtgc cttcctatct cctatacaag caaagacatt ccatcatgtt 720
tacagcggga aggacttaat tgcacaggca cggacaggaa ctgggaagac atttctcctt 780
gccatccctt tgattgagaa acttcatggg gaactgcaag acaggaagag aggccgtgcc 840
cctcaggtac tggttcttgc acctacaaga gagttggcaa atcaagtaag caaagacttc 900
agtgacatca caaaaaagct gtcagtggct tgtttttatg gtggaactcc ctatggagg 960
caatttgaac gcatgaggaa tgggattgat atcctggttg gaacaccagg tcgtatcaaa 1020
gaccacatac agaattggcaa actagatctc accaaaactta agcatgttgt cctggatgaa 1080
```

```

gtggaccaga tgttgatat gggatttgct gatcaagtgg aagagatttt aagtgtggca 1140
tacaagaaag attctgaaga caatcccaa acattgcttt tttctgcaac ttgccctcat 1200
tggttattta atgttgccaa gaaatacatg aaatctacat atgaacaggt ggacctgatt 1260
ggtaaaaaga ctcagaaaac ggcaataact gtggagcatc tggctattaa gtgccactgg 1320
actcagaggg cagcagttat tggggatgtc atccaggtat atagtggcca tcaaggacgc 1380
actatcatct tttngaaac cnagaangaa gcccaggagc tgtccca 1427

```

<210> 13

<211> 3548

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1103)

<223> n equals a,t,g, or c

<400> 13

```

ggcacgaggc aaaatgggcc cgggaagaag aagaagccca gcgtcgatta gaggagaacc 60
ggctgcggat ggaagaggag gcagccagac tccggcatga ggaagaagaa cggaagagaa 120
aggcgctgga ggtccagcgg cagaaggagt taatgcgcca gaggcagcag cagcaagagg 180
ctctccggag gttgcagcag cagcagcagc aacaacagct ggcgcagatg aagcttcctt 240
cttcttcaac gtggggccag cagtccaata caacagcatg tcagtccag gccacgctgt 300
cgttggtgta aatccaaaaa ctagaggaag aacgagaacg gcagcntcga gaagagcaaa 360
ggcgccagca gagggagtgt atgaaagcnc ttcagcagca gcagcarcag caacagcaga 420
aactctcagg ttgggggaat gtcagcaaac cttcaggtac cagcaaatct cttctggaga 480
tccagcagga agaggccagg caaatgcaaa agcagcagca gcagcagcag caacaccagc 540
aaccaaaacag agctcgtaac aatacgcatt ccaacctgca caccagcatt gggaattctg 600
tttggggctc tataaatact ggtcctccta accagtgggc atctgacctg gtcagtagta 660
tttgagtagta tgctgacact aaaaactcca acatgggatt ctgggatgat gcagtgaaag 720
aggtgggacc taggaattca acaataaaaa ataaaaacaa cgccatctca gtaaatctgt 780
aggtgtgtct aaccggcaga ataagaaagt agaagaagaa gaaaagttgc tgaagctctt 840
tcaggagtagt aataaagccc aagatggatt tacgcagtgg tgtgaacaga tgcttcatgc 900
ccttaatacgt gcaataaact tggatgttcc cacatttggt tctttcctga aagaagtaga 960
atctccttat gaggtccatg attatatcag ggcctattta ggagatactt ctgaggccaa 1020
ggagtgtgcc aagcagttcc ttgagcgccg tgccaaacag aaagccaacc agcagcgtca 1080
sagcmaggca gctgccggca gcngagcagc agccrccaca gcagccgyca cagcagccac 1140
aacagcagga ytctgtgtgg gggatgaacc acagtacact ccattcagta tttcagcagc 1200
tagagaaggc caaagctgca aagctagagc aagagagaag agaggcagaa atgagggcaa 1260
aacgggaaga ggaagagcga aagaggcagg aagawctccg aagacaacag gaggaaattc 1320
ttcggcgaca gcaggaagaa gaaaggaaaw ggcgagagga agaagaactt gcccgaggaa 1380

```

```
aacaggaaga ggctctgcgt cgccagcggg agcaagaaat tgcattaagg cgacagcgag 1440
aagaggaaga aagacagcag caagaagaag ctcttagaag actggaagag aggagaagag 1500
aagaggaaga aaggcggaag caggaagaat tgttackcaa acaggaakag gaggctgcaa 1560
aatgggcccg ggaagaagaa gaascccagc gtcgattaga ggagaaccgg ctgccggatg 1620
gaagaggagg cakccagact ccggcawgaa gaagaaaaag cagaagatgg tccgagcaga 1680
tcccagttta ttaggatttt cagtcaatgc atcatcggag cgactcaaca tgggtgaaat 1740
cgagacgttg gatgactact gagcacctgc cagtggactg gccatccctc tcctgtctgc 1800
cgactatgga gtctccacct ttggacacaa cacttactca ccatttactc tttatcactc 1860
tgcaacaaat cacagaaccg atcatctcag gctttttctt ctggcccttt gtgtccaaga 1920
ttctttaatc catttttggt ggtgaacatc tcagactata gataagtga ctggaccctg 1980
tgtcttgagg gtggcagttg ggattactcc ccaacaaggc tgattttagg cagcatgtgt 2040
tactgtgtct gtgatttcat ctactgtctc ccagaaagtg tgttgggacg ggccattagc 2100
agcttgcttt ctcttgctac ttttttwctt ctattttggt ttttcttctt ctttttcccc 2160
ccatcagggc aaatggtcta actggtgcaa tcatgaagag agttaatggt taacagacat 2220
tggccaataa caaacaccc catggactgt gactcgagta tccaacaggc agtcagagct 2280
ctccgggtct gaaagttgca ttgcccactgc taactttggg attgcatcag agaggccctg 2340
agtgggggtg agatgaggtt ggtttgggtt gatgttacac actcctcacc tgttctttct 2400
gagtgtcctt tctctgaaag gatttatgtt ttcttctgtt agatagtgc ttctgagcaa 2460
gctgatctcc cctggcatgc tccaacctga ttggacaaag gaagctctat ggcctgggag 2520
agagactatt cttaattttt ctttcttaca aaaactgatt tttcccataa atatttttac 2580
ttcagaggac taggaccatt ttgttttggg cccttctgct gaaaatttgt ctcgtttaag 2640
aggcagctag aatctttacc atatgtatga atttgtataa tttcattttt ggatagggat 2700
aaacttttgc ttctgataaa agcctggaat ttcactctggt cctcagagca ttgcgtgtgt 2760
gtcttgctgt agcccggaaa aggttttgtg taaagattct gggatggcaa gttgtttgcc 2820
ttttctgaaa agagaacata cagaacctgt ccatctttta gaccttcac catggaatct 2880
actatacagg aggatgcagt gggctggagg ggatgggcga aaatgggagc aggaagcctg 2940
gcctggcttc tggtcatggc ctccctaaaac cttaaacttc aagtagaaat gtactcaagc 3000
cctattttata aacaaatact tttcctgcct ccaccaaaacc cctacagAAC atcacctgga 3060
attgccactc acactgggtt ggagtcattg ggcagctgtg cctgtgcgag aggtgctgtg 3120
gtctgggcag cccctggaag agcacctttg ctgcctgtca ttgttgctg aagaaggctg 3180
gagttgctct gagagcagtt tgggtttgga gtattatatt tggcttctat ttttattatt 3240
ttggatcacc attctcccta tcccttcttg cctccctccc ttctaaacat gtgtaataac 3300
tatacagaga ctgctacaaa attgtatata gtttttggat caaatagcat gaggggagag 3360
gaaaccatta aaaattgggg ctccctactct cctttgcttt gtaaattcaa aagttggggg 3420
tgggtaagag ggatagttaa aatgtttaca aaactttagg ctccctcgga acttttgcca 3480
gtgtggagga aaataaaaaa gaacttaaat aaaatctgat tgtattctaa aaaaaaaaaa 3540
aaaaaaaaa 3548
```

<210> 14

<211> 466

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<400> 14

```
catcgtgtat gttccttctc acctccatca tatgcycytt gaactattta asaatgcaat 60
gcgggcaaca gttgaacacc aggaaaatca gcctnccctt acaccaatag aggttattgt 120
tgccttgagg aaagaagacc ttaccattaa gatttcagac agaggaggtg gtgttcccct 180
gagaattatt gaccgcctct ttagttatac atactccact gcaccaacgc ctgtgatgga 240
taattcccgg aatgctcctt tggttggttt tggttacggc ttgccaattt ctcgtctgta 300
tgcaaagtac tttcaaggar atctgaatct ctactcttta wcaggatatg gaacagatgc 360
tatcatctac ttaaaggctt tggttackkc ttgccaattt ctcgtctgta tgcaaagtac 420
tttcaaggag atntgaatct ctactccata tcctgataaa gcttta 466
```

<210> 15

<211> 864

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (835)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (847)

<223> n equals a,t,g, or c

<400> 15

```
ccacgcgtcc gcggacgcgt gggctctggc gtcctggatg gaggtgcgtt cctttctgtg 60
gctggcgctg gateccacct gggctctcaa ccagggctgc agagagggtg gagccgtttc 120
ttaggccaga gtggagtggg acaggaggtg ccgagagagg actgaggtgg cttgggacat 180
ggaagcgctg cagccttcga gcccggcac cagcattgca gccgccggg cggcctaaga 240
gctcgaaccc tttcacacgc gcgcaggagg aggagcgggc gcggcagaac aagacgaccc 300
tcacttacgt ggccgctgtc gccgtgggca tgctgggggc gtcctacgct gccgtacccc 360
tttatcggtc ctattgccag actactggac ttggaggatc agcagttgca ggtcatgcct 420
cagacaagat tgaaaacatg gtgcctgtta aagatcgaat cattaaaatt agctttaatg 480
cagatgtgca tgcaagtctc cagtggaaact ttagacctca gcaaacagaa atatatgtgg 540
tgccaggaga gactgcactg gcgtttttaca gagctaagaa tcctactgac aaaccagtaa 600
ttggaatttc tacatacaat attgttccat ttgaagctgg acagtatttc aataaaaatac 660
agtgcctctg ttttgaagaa caaaggctta atccccaaga ggaagtagga tatgccagtg 720
tttttctaca ttgatectga atttgctgaa gatccaagga atgattaaag ttgrtcttat 780
cactctttct ttacactttt ttttgarggc aaggggaggg gcaccagttg cccgnttccc 840
ggggttntaa tttgaagggt cagg 864
```

<210> 16

<211> 2805

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (31)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (37)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (48)
 <223> n equals a,t,g, or c

<400> 16
 gaggggttggg ngtgacactg ctcacacatt nattttngat aaacagcnc c aacttctgca 60
 cctcagcaaa ggaatgccttt gtcattcttg tggagaatgc tttgcgagt gctaccatca 120
 acacagtagg agattttatg ttattccttg gcaagggtgct gatagtctgc agcacagggt 180
 tagctgggat tatgctgctc aactaccagc aggactacac agtatgggtg ctgcctctga 240
 tcacgtctg cctctttgct ttcttagtgc ctcattgctt cctgtctatt tatgaaatgg 300
 tagtggaatg attattcttg tgttttgcca ttgatacaaa atacaatgat gggagccctg 360
 gcagagaatt ctatatggat aaagtgcctga tggagtttgt ggaaaacagt aggaaagcaa 420
 tgaaagaagc tggtaagga ggcgtcgtg attccagaga gctaaaccga tgcttcggga 480
 gcaagtcttg cttgaacctc gccgacggtt atggaaaacc attgacattc caaaacaata 540
 tatacacaca cacataaatc agccaaaatc agagaaaagg aacagggatt taataccttt 600
 tttatgctta tttttgtcaa acatgtactc ctttcatacg ggtggctttt acaaggcaac 660
 ttccgtcatt taatgttttc aactgtaatt gtcttaatgg aaatgttaaa attcatatct 720
 gattaacatt ttttaataact tagaggagat ttttaacttta tttaaaaata ggtaaaatta 780
 ttgtacctaa ttatgtctaa agtttatcca ggggtaattt ccctgatgtc tgtataaaat 840
 caagatctta ttttactgat gcataagtc tagtgggtca agactaggca tatgctttca 900
 gataaataag gaattactcc aatcagtttt ccccaatcaa agaagccatg tcattttact 960
 tttagaaaca tacaattggg cccaatatgg gaattttcat aatagttcat acatttgtca 1020
 gccaacatta aaaggtaacc aactcctcag gtattttag tttaccctaa cgsttcttta 1080
 aaagaaagta ggtaaaaaaa gaaaaaggta gataatcttt cgtatgcaaa cttttccctt 1140
 atattttgtc tttctttcct ttttgacttt agtagcatcc tccacacatt tgtgtgcctg 1200
 atttgaaagg aagctggggc acccagcgag ttttagccttt aagtttctgt gtattgattt 1260
 gcagattaag taatgctgag aggaataaag aaggacaga aacatggaac ataaagcatt 1320
 gaaaattccg gtgcttgggc ttcggttca gagtaacgtc agtggttag ggtaaacgg 1380
 ccattttatt caaatgcttg ctatacaatc tgaaaacaca ctggcaggtg ctctctcct 1440
 tggcaattca ttgagtatcc agagtctac gatgtttaac tgaagaattg gctaattgtt 1500
 tgatcctcca gtgtgactgt tgtttttgtt tgggggtggg tttgggggtt tttgctttt 1560
 tattcctgaa gcttaccaga tatgaatggc taatactcca ttgttctgct tgttgtaatg 1620
 gtgaatgctt taagaaaaaa aagtgttaatt tgctaagaat aattcatgat ctgtttatgc 1680
 gataactcct ttttgttaca atttttttaa aaaaagctat ttttgttaat gtaaagtaaa 1740
 tatttcagag caaatttttt aaacttattg cactaaatac aggctctgta caaaaaaaa 1800
 aaaaaaaa aagcctcagc attttatcat tccatggaag gagaatcttt tgaaagaaag 1860
 cattgcctcc taccagaact agacagtga ttagatcggg attatggaaa tgcatacaag 1920

```

taatgtcact agggcctaata aagcagccgt ttgctaatagt gcttcctttc aaagggttgg 1980
acctttaaat tgctgcaaaa ggtaaattgt attttttttt aagtattggt gttctttact 2040
ctagctaggg taaaatttgc taaatgcctt gggttctttt aaaagtccat gtaatatctc 2100
tgatttttca gaatttttgc aataagagtc tggattttta aaaacacatg catacacaca 2160
attaagagct catgtccttag caagatcttg gaaaccaaca ttgcgagagt agctatcttg 2220
aaagaataat tctccagaag ttaacatcta atatctagta tcaccaaaca gtatcgctgt 2280
tctcttttat tcatctgaaa tgaatataat tatataacta acaattgtcc aaatagatga 2340
gagagcaaat catgtgagaa aattcagaat accatctggt tcatagccgc acagattttg 2400
gactttcaca aacattggga actaaattta gaattggcaa aagtctagaa gatgggtatc 2460
aaaaacagaag acattccagg agctagcaat ttttaagagg gtccctccaa agtgacctga 2520
tggaagtcct gaacttggaa attaggttct actcacttgg acatccctgc atcatggact 2580
gttgctgctc cctgttccat atgctcgcaa tctcagctat ttggaagcta ccaggaatgc 2640
tttctaatta tcatttgcga ctagaactgt aatcagaaag aaattttgta tttttgtata 2700
acttgattgt gtgccatttt atataacagg tctgttttta caaataaatt ttgttttact 2760
aamaaaaaaa aaaaaaaaaa aaaaaaaaaa aggggtggggg gaaaaa 2805

```

<210> 17

<211> 710

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (608)

<223> n equals a,t,g, or c

<400> 17

```

ggcggtacac cgtcgctgtg nagtctgtga agcctacccc gggcgtgggc cgcagcgtcg 60
agtaacgtca ttcgaacccc gtcgcgcccc tttgtgcgtc acgggtggcg ggcgcgggaa 120
ggggatttgg attgttgccg ctctgctctg aagaaagtgc tgtctggctc caactccagt 180
tctttccctt gagcagcgcc tggaacctaa ccttccccc tctgtcacct tctcgatccc 240
gccggcgctt tagagccgca gtccagtctt ggatccttca gagcctcagc cactagctgc 300
gatgcatgtg atcaagcgag atggccgcca agaacgagtc atgtttgaca aaattacatc 360
tcgaatccag aagctttgtt atggactcaa tatggatttt gttgatcctg ctgagatcac 420
catgaaagta atccaaggct tgtacagtgg ggtcaccaca gtggaactag atactttggc 480
tgctgaaaca gctgcaacct tgactactaa gcaccctgac tatgctatcc tggcagccag 540
gatcgctgtc tctaacttgc acaaagaaac aaagaaagtg ttcagtgatg tgatggaaga 600
cctctatnaa ctacataaat ccacataatg gcaaacactc tcccatgggt gccaaagtcaa 660
cattggatat tgttctgggc cawtaagwt cgsctggaat tctgctgatt 710

```

<210> 18

<211> 992

<212> DNA

<213> Homo sapiens

<400> 18


```

attttttact ttccccaccc agcaggatat gctgggttcaa ggcctaaagt aaaatgatca 60
ataatgtttg tagcattaat gaaatatatt caagaaatgt gtccaggggt agcactggct 120
atgttgacga ggcccttggt aactcagaga gctcttggcc ctgatgggga cttgccctta 180
cgctttcttt atcaggctct gagttcacac ggagcctctg gcacttcctt gctgtcttgg 240
gagaaaggaa actggttgcc gggcaggtt gtggaatctg ttgctggaac caggctggaa 300
gcccacctgg tagtgaacag ggcccagtg ggacggctgg gcatgttggt gtctatgggt 360
ttgtttcctg gagaatgttc aggaatgtct tcccagctgc ttggtgctg agctctatta 420
tctcacagca cgtccagaag gctaaccag gtggggagga tgctgacacc agctccaggt 480
ggagttggtg gtcttaattt ggagatgcag gggcaacctg tgacctttt aggcaagagc 540
cctgcacca gctgtcccggt gcagccgtgg gcaggggctg cacacggagg ggcaggcggg 600
ccagttcagg gtccgtgcca ggcctcctt agtgccctgt gaaggcctcc tgcctccgt 660
gcgggtgggg accagacca gggagtttct atggcaacct tagtgattat taagggaacac 720
tgctagtttt atcaacata gctcaaatga attctactt taggaggaaa ggattggaac 780
agcatgtcac aaggctgtta attaacagag agaccttatt ggatggagat cacatctgtt 840
aaatagaata cctcaactct acgttgtttt cttggagata aataatagtt tcaagttttt 900
gtttgtttgt ttacctaata tacctgaaag caaataccaa aggctgatgt ctgtatatgg 960
ggcaaaaaaa aaaaaawawa aaaaaaaaaa aa 992

```

<210> 19

<211> 1795

<212> DNA

<213> Homo sapiens

<400> 19

```

acccacgcgt ccgcttagcg tcttcaggaa gtctgtcctt attctttctaa agttttaaact 60
ctgaacatcc cttttatttt acccctggag aggcgagtc gtcccttccc acccctacct 120
actccaactc acatccaaag taggacaacg gtggaagcag aactatagtt tccggggagc 180
gactcgagtg cccggagttc attgtaaaac gcaccggaag tgggtccggc ggctttcttt 240
ccgtmgcaga gagcatcggc cggcgaccgt tccggcggcc attgcgaaaa cttccccacg 300
gctactgcgt ccacgtggcg gtggcggtgg gactccctga aagcagagcg gcaggcgcc 360
cggaagtcgt gactcgagtc ttccggggt aatccatgcc gggttggagg ctgctgacgc 420
aggtcggcgc ccaggtgctg ggtcgactcg gggacggcct ggggtgctgc ctggggcccg 480
ggaacagaac acacatctgg ctttttgtta gaggtcttca tggaaagagt ggtacatggt 540
gggatgagca tctttctgaa gaaaatgtcc cattcattaa gcagttggtc tctgatgaag 600
ataaagccca attagcaagt aaactgtgtc ctctgaaaga tgaaccatgg cctatacatc 660
cttggaacc aggttccttt agagttggtc ttattgcctt gaagctgggc atgatgcctt 720
tatggacca ggatggtcaa aagcatgtgg tcacattact tcaggtaaa gactgtcatg 780
tcttaaaata tacgtcaaag gaaaactgta atggaaaaat ggcaaccctg tctgtaggag 840
gaaaaactgt atcacgtttt cgtaaaagcta catccatatt ggaattttac cgggaacttg 900
gattgccgcc gaaacagaca gttaaaatct ttaataaac agataatgct gcaattaaac 960
caggcactcc tctttatgct gctcactttc gtccaggaca gtatgtggat gtcacagcca 1020
aaactatttg taaagggttt caaggtgtca tgaaaagatg gggattttaa ggcagcctg 1080
ctacgcattg tcaaacgaaa acccacagga gacctggagc tggtgcaact ggtgatattg 1140
gcagagtctg gcctggaact aaaatgcctg gaaaaatggg aaagtgtgga gaataaacac 1200
aaagcacaac ataacttatg taaatggctc tgtacctgga cataaaaatt gcttagtaaa 1260
gggtcaaagat tctaaactgc ctgcatataa ggatctcggt aaaaatctac cattccctac 1320
atattttcct gatggagatg aagagggaact gccagaagat ttgtatgatg aaaacgtgtg 1380
tcagcccggt gcgccttcta ttacatttgc ctaacatctt tggacgtggc agaaccctac 1440
atattctgtg agcttcgatg agccagagtg atatcataac caccagaaat catactctcc 1500
ttcttagtgc acaacaaaat cacacatgtc atctttgtca agggcataaa tatatcattc 1560
atacccccat taaattttgt tagaaaaatt accacattaa atatatgagt taagtagatt 1620

```

ggatttgctg aaattggtgt tgggcatatt agcaaaatat tottaatttg tggactcgat 1680
tcttttttac tacatatttc ccaagttatc ttaagatgtc tgtaaattta acttttatta 1740
aagttttgtc aatctttgtg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaaac tcgta 1795

<210> 20

<211> 709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (708)

<223> n equals a,t,g, or c

<400> 20

accacgcgct ccgagcaaga tggcgccgcg ggcatttctt ccactgcccg tctgagggaa 60
cgctaagtag tgtgtccggc gccgtgttcc agctccgcgt tgttccgcga gaaagcgaga 120
ggccgagccc gggctggtgc gatggccgcg gtggtggcca agcgggaagg gccgccgttc 180
atcagcgagg cggccgtgcg gggcaacgcc gccgtcctgg attattgccg gacctcggtg 240
tcagcgctgt cggggggccac ggccggccatc ctccggcctca ccggcctcta cggcttcac 300
ttctacctgc tcgcctccgt cctgctctcc ctgctcctca ttctcaaggc gggaaggagg 360
tggaacaaat atttcaaate acggagacct ctctttacag gaggcctcat cgggggcctc 420
ttcacctacg tcctgtttctg gacgttcctc tacggcatgg tgcacgtcta ctgaaatggg 480
ggcccggggg acttttttaa aaaaccagat cgggaggact gtggccagca attaacacca 540
tgtagacttc cttagttctt aagtggttga attcgcctgt tgttctgtaa cgttataaat 600
aatttatatc tgaagacgga gagcctgtaa tattcttcag attaaatgaa gcgtgagaca 660
maaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaccccgggg gggggccng 709

<210> 21

<211> 649

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (596)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (600)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (624)

<223> n equals a,t,g, or c

<400> 21

```
gaattcggca cagggaaata atagggaaaa tacctatwtw atatgatggg ggaaaaaaaag 60
taatcttttaa actggctggc ccagagttta cattctaatt tgcattgtgt cagaaacatg 120
aaatgcttcc aagcatgaca actttttaaag aaaaatatga tactctcaga ttttaagggg 180
gaaaactgtt ctcttttaaaa tatttgtctt taaacagcaa ctacagaagt ggaagtgttt 240
gatatgtwag twcttccmct tgtgtatatt ttaatgaata ttgatgttaa caagaagggg 300
aaaaaacaaa acacaagggt ttttccaatt ttaatgctgg ctccatccaa aagtttgccc 360
acaagaatga ataccttccc aaagttgaat aaatttttat ttataaaaact aaggttaaaa 420
tttgttggtt tgggttcctt tttaaaacca cgggcttgcc cccttcccac acccccatcc 480
tttgctccta aatgaatcaa aaacattgcc ttgaaataaa ctgaagctta gaantatacc 540
tcctatttat gtccatttta aatttaagga aaaaggggcg aaaattttaa actaanggcn 600
caaaattttg gtttaaaaact ccanaatata catgttaaatt cctctgcta 649
```

<210> 22

<211> 1607

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (820)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (821)

<223> n equals a,t,g, or c

<400> 22

```
accacgcgt ccgcagccat gccattggca ggaacagcac ggagggccgg gcccacacca 60
tgtgcatcga gggctcgcag ggttgtgaga acccaaagcc aagcctcaca gatctcgtgg 120
ttctggaaca cgggctgtac gcaggcgatc ctgtctccaa agtctgctg aagccgctca 180
cgggccggac acaccagctg cgcgtgcact gcagtccctg ggccaccccg tgggtggcga 240
cctgacctac ggagaagtct cgggccggga ggaccggccg ttcagaatga tgctgcacgc 300
tttctacctg cgcaccccca cggacaccga gtgtgtggag gtctgcacgc ctgaccctt 360
cctgccctcc ctggatgcct gctggagccc ccacacactg ctgcagtcgc tggaccagct 420
cgtgcaggcc ttacgggcca cccccaccc tgaccccgag gataggggcc ccaggccagg 480
cagccctcc gcactcctgc ctgggcccg cggcctcct ccaccccaa ccaagccccc 540
tgagactgag gcacagcggg gccctgcct gcagtggctg tcggagtggg cgctggaacc 600
ggacagctga gagccgtggg gctggggcag ggggtgtcag ctgcacagcg ggactctagg 660
gagatgggag agcgagcgtc tgctcactgg ctctggggcc tcgaggtgcc aggcagcatc 720
aggccactg ggttgcccg gccaggcctg cgaggaaggg ctgaggtggg gccggcaggg 780
ggcgccaggc agccgtgatc acaggtgacg accgcaccgn ngccgtggga ctgatgcggg 840
atcccgaggg ccttcctgcc cacatgcccc gggagaaacc gaggccctc cctcctcctg 900
gaacagcttc cggctctcaa gcgtcacccc aggggcgtca gttttacgga ctcaaggtea 960
cctcaggaag aggcagggcc aggttttggg ataggcttg ctccaggatg ggctgctcct 1020
gggcctggtg agctactgcc cccaacctac cctctagagg ggctgggaag ggccgttctg 1080
ggctcacctg gcctgggaga cccatctggt ccctgcgtcc tctgccccctc actgctctgt 1140
gcagatcctg tcgcctcag ctgcctcctc ccgagacctc atgggtccctg ctgggctcga 1200
```

```

gtctgcaggc ccggctgcgt gtgccttggc ctcaactgtac cagtgggtcc ctctctgccc 1260
ggattctgag ctcaagtgtg tgtttggtgc acaggggttg gtcagggggc atggccaagg 1320
ccctgccacg cagcccatc cctcagatcc actgtgagca ccaacctgct gcagtctctt 1380
gggcccttgc tggcagctct gccacgtcac cgctgcctg gctccacac agccatgcat 1440
tgtcactctg cctccgggac ccagcttgg gagctgtggg tctgccaggc cccacctctt 1500
ctgtcccca tgccacaacc tgggtctcct gctacagcag ggctccaggg actccaaata 1560
aatgttcagt gactgggtcc aaaaaaaaaa maaaaaaaaa aaaaaaa 1607

```

<210> 23

<211> 578

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (528)

<223> n equals a,t,g, or c

<400> 23

```

ggatacggct gcgagangac gacaganggg gggggcgcg cgccggggat tgggagggct 60
tcttgcaggc tgctgggctg gggctaaggg ctgctcagtt tccttcagcg gggcactggg 120
aagcgccatg gcaactgcagg gcatctcggg crtggagctg tccggccttg ccccgggccc 180
gttctgtgct atggtccttg ctgacttcgg ggcgcgtgtg gtacgcgttg accggcccg 240
ctcccgctac gacgtgagcc gcttggggcg gggcaagcgc tcgctagtgc tggacctgaa 300
gcagccgcgg ggagccgcgt gctgcgctac tgtgcaagcg gtcggatgtg ctgctggagc 360
ccttccgccc cggtgtcatg gagaaactcc agctggggcc agagattctg cagcgggaaa 420
atccaaggct tatttatroc argytgagt gatttggcca rtcaggaaag cttctgccgg 480
ttagctggcc acgatatcaa ctatttggt tttgttcagg tggaaggnac cagcatattt 540
aaagttcttt tctgtgggaa aattcagaaa ttcgagtt 578

```

<210> 24

<211> 2756

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (249)

<223> n equals a,t,g, or c

<400> 24

```
attcggcaca gctcggccgn aggggttgagc agacagcctg cattctaaca taccctgttc 60
ccacccacag gccattcaga ctgcactcaa tacgctgaag tcgcttttnt tgttggtgtt 120
gttggttgca tcatttgat ttttttcctg ctttcaatac caaaaaaatg cagatgcttt 180
aagggtctaaa cagaattctg aagaatttaa aatatgcaat taaagtttga tatgttttgt 240
ctcccaagna ccttggtttt tgttggtgtt gttgtgttg aagtcagctg attttctctt 300
tagaaagagg gtcagctaga aacctagggt ttttggaatt gtaaattttt ttttagtata 360
gtctggagag aaagggtcatt caaaaggaaa gtacaatggg acttgctgcc cttcatcatc 420
tcgttcccggt gccagggtgtg tgttggtcac gtaaaagcct gggaagcatc agaggagtcc 480
cggattgctg ctgctacctg gagacaggtg tagcaaaata acactagtga tgaggagag 540
gcttcttttc accataagcc tgctgtgtac accgagggcg gcaggagaag catgggaagg 600
agtcagccta agtttgacaca ttgcataaag ggtacactaa ggtatgagct gaagctttag 660
gttctccgtg cttccctcaa gacctccttc ttgctaacag aagcagtagg caattgctgc 720
agtgcgtttc tcacctgcc aataggctctg tctgtatctc tgttaaggaa aatagcctgg 780
tccctcctgg cagtgccttg aagcctgatg ctaattttta tatagcgtgg caaactgacc 840
agcagtgccg ggccttgatc tgtattctgc actatccctt tacttggttc ctggcactga 900
atgggtctcca gccctgaaga atcacgtgtg atcacagcag ctgacctggg ctttctcccc 960
gagaggaagg ggcattgcat ttttatttga cagagggaaa atgggagctg tccttgactg 1020
cctttgttgt gctttcccg gtaagatagc actgtgtttt aaactgttgc attacactgt 1080
ctttgcaatg atgtaaatgt aagaaatcac ttagctttta aagcgcatgg tttgatctta 1140
tttatatgaa gactttttta catatcaaga attaggtgca ttggcaggta gggtttgggg 1200
tgtgataact gcttcagatg gaatgttcac ttaagccttg tcttcttaaa aattatcaat 1260
gtgaatgtca taattatata tatttttgtg gaaaattttc tcctaagtat aagttattgt 1320
gcaaaatata gtgtcattga tgcaaataat agtttaactt ttagttaga actcctaaaa 1380
gatataaatt gtattgcata tgcattaaaa gtttgtttta ttttaatttta tgtagatgtg 1440
tgaagtgtta ggtaaaattt ttttacttta tccattttaa caccttgtta cttgaatatt 1500
gtgttgactg gtctgcaaca gtgatccatt ctgtaatata gctcttttaa ctgggaagga 1560
accacacccc agttgtgccg attacattag tgttggcaca cagtcgggtg ctagtgtaac 1620
acaaatgccg cggtgtctgg gtgtacagtg tttgtggaga cgccacttcc tcaaaatggt 1680
ttttkattgt ttttaaccta taagacgttc tgatgctcac aaacctctat tcaacacaca 1740
aaacaaacat gaaaaggtag ttagttgggt tgtaacagct tactgggtg gactcataaa 1800
acagtggctt tctgttcac taaagtttcc tcagatacca cagaccactg ttaagtgtgc 1860
tcattgtcac tttaaatttc aacgataccc tatttttgtc attctaaata tcagatgtac 1920
tattggtata attgcacacc aaaaataagc caaacagtgc attacgctaa ctggatccct 1980
gcttttatgt gagctaagga aagatggagc caactccaac gagggcctct ttttctctct 2040
tgtctagcct gtttctaaac cgaatgatcc aggattcaag cttctattgt caagtgaac 2100
tttctcaga tggactccag gtagccaggt cacctaaacc tagtggctct gtgcgatgct 2160
ctttctgccg gtccctgaat ctctgcagct tctcttacct gtcttacctg tagtaaagca 2220
caattgcagt ggcgtcgcat tcagaagaag ggaagggtcag cagaggctat gcatgttgtg 2280
tgatgatgag tgtttacagc caccttctcc taaaacgaaa tttataccgg ggtggatagt 2340
attccattag gtagacttat cgactttgct aagtgtcttt tagacagctt aaaaaatttt 2400
caagatttta aaagatgtat aaggtttaagt ttgcaaatat aatggaaatg ctgtatatct 2460
```

```

tttgaagtga tgaatccwc gttggaatth taaagaaaat atgttgtaat aatgctgttg 2520
taagtaatat tttaatgtct ctttgctgt tttctatttc agcacattca ttgtggtgaa 2580
tgttcatagc attataactg cttagccatt gaatgataac atttgtagt ggaaattgga 2640
aaattttatt gtgaaattct gcagaattca tttttctatt tccaatattt gctgagggtta 2700
aataaaaatt ttcaagccat tgatgtaata aaatatgaaa tgaaagcaaa aaaaaa 2756

```

<210> 25

<211> 2680

<212> DNA

<213> Homo sapiens

<400> 25

```

cgggagggcg agcgagagag caagcaggca gcaggctgcc ggcgggcggg cggacggcac 60
agaggagggg agcgagcgag cagttagtaa gccagcaagg gcggtcggtt cccgaggtca 120
gccgagatth ctcaggctcc tccggccccc tccctggagt ccacagcgcc tccggtgtcc 180
agaggatcgg acacggcccg gcccgcccat ggctcgttg ctgaagggtg atcaggaagt 240
gaagctcaag gttgattctt tcagggagcg gatcacaagt gaggcagaag acttggtggc 300
aaattttttt ccaaagaagt tattagaact tgatagtttt ctgaaggaac caatcttaaa 360
catccatgac ctaactcaga tccactctga catgaatctc ccagtccctg accccattct 420
tctcaccaat agccatgatg gactggatgg tccacttat aagaagcgaa ggttggtatg 480
gtgtgaagaa gccttccaag gaaccaaggt gtttgtgatg cccaatggga tgcgaaaag 540
caaccagcag ctggtggaca ttattgagaa agtgaaacct gagatccggc tgttgattga 600
gaaatgtaac acggtcaaaa tgtgggtaca gctcctgatt cccaggatag aagwtggaaa 660
caactttggg gtgtccatth aggaggaaac agttgcagag ctaagaactg ttgagagtga 720
agctgcatct tatctggacc agatttctag atattataat acaagagcca aattggtttc 780
taaaatagct aaatatcccc atgtggagga ctatcgccgc accgtgacag agattgatga 840
gaaagaatat atcagccttc ggctcatcat atcagagctg aggaatcaat atgtcactct 900
acatgacatg atctgaaaa atatcgagaa gatcaaacgg ccccgagca gcaatgcaga 960
gactctgtac tgaggccagg gccagggcca ggggactctg tgagtctggc tcaagaccga 1020
cattgccttg gtttgttaca tgactatcgt gatggggaaa ctggctggaa atagtaataca 1080
cacctctctg ttttagtta gagtctaata aaactctcat ctagtcttgt gatgtgttta 1140
cctctttttt caggcctcag gaactcttct atttcttccc ctaatacccc acacccaacc 1200
tgtcgtaat tctggagaac tccaggtttg tgtgtgcagg atgttggcac aaaaatacct 1260
gtgttttcat tctccccctc tctccctcct gtgtcttgcc ctttatgttt tcttccgttt 1320
gataattagt tggttaaaag ctgagggaaac cggaaggaaa gtgctagggtg ttttttagga 1380
actaggggtg cggggggacg aacttctctt cctcacatga ggttactgtt tctttcctct 1440
gtggggcatt ggatcctccc acagttgccc tggatgatgac ttagggtctc ccatctgtgt 1500
acatcccact ttgaatcttg atcgtgacaa gaaatacctt aggccttcag tcaattccga 1560
agctccttca gttgttttta taatgggcgt tttcacatgc acatatgtgt atgcatgtat 1620
acgcccatac agacatgcac acacagactc ctactccatt agctaacata ccctccctct 1680
ccacaacccc tgtcacatac ctttcaggag gtgacagttg tcttagttgt catctacca 1740
gacaaacgth ctgggcccgt cctccctcct gatactgtag cctcttggtt cccagggtga 1800
gttggtggag aacagagaga tgagaagcag agggcttggg gaaagcctgt tctctcttga 1860
ctcagccctt tttggcatth ttgcaagagc ttgactcctg gttgcctttt cccagccagt 1920
tttcagttgg ggtgaagggt tctgcaagtg tgagggtccag atgctgctgc tcatgttggg 1980
ctttcccttt gggaactatt tctctttatt tatagtgtcg ggcttccggg gaaagcaatc 2040
attgggtgtg atgtgtatgt gcatgcacac acgtgcatat acacatttgt gtatgtggaa 2100
atgtgctggg caagtcaaaa ctatagaaga gttgcctcct gtctctcgaa tcttcagag 2160
atatcactta attgttaaca gcttttgtgt taatcccctt cagcccctag ctcttttatt 2220
ctaccacggc tggagagttg atacctgcag tcagcctgcc agtgactctt agtgtctgtt 2280
tctgacttat ttttctgtc tctgtcttcc aacccccaat aatatttcca cgggggatgc 2340

```

```
atcatttttta ctcccaatat tctgtagaga gggagtcagg atgctgtctt cccacgaata 2400
gtactcagta acaaaccaat tgcatttttag ttgggcagtg ctcccaccca cctccagat 2460
cccttcagc taaaaccctt ccccttccc tccatgtgtt tctcagtttc ccgtttcggt 2520
tggtggactg ttccactgcc cctcctcctc accctatcac ccatggatcg taatgtaaaa 2580
ttcttttacc atgtcaagaa attattaaaa atacaggtag tttgacctct ttctaaaaaa 2640
aaaaaaaaaa aaaggggggg gggcyaaggg ggccaagttt 2680
```

<210> 26

<211> 1859

<212> DNA

<213> Homo sapiens

<400> 26

```
gtttcgcttc agaaggctgc ctgctgggtc cgaattcggt ggccccacgt ccgccgtct 60
ccgccttctg catcgcggtt tcggggggtt ccacctagac acctaacagt cgcggascgg 120
ccgcgtcgtg aggggggtcg cacggggagt cggggggtct tgtgcatctt ggctacctgt 180
gggtcgaaag tgctcgacat cggagactgg ttcaggagca tcccggcgat cagcgctat 240
tggttcgctg ccaccgtcgc cgtgccttg gtgcggcaaac tcggcctcat cagcccggtc 300
tacctcttcc tctggcccga agccttctt tategctttc agatttgag gccaatcact 360
gccacctttt atttccctgt ggggtccagga actggatttc tttatttgg caatttata 420
ttcttatatc agtattctac gcgacttgaa acaggagctt ttgatggag gccagcagac 480
tatttattca tgctcctct taactggatt tgcacgtga ttactggctt agcaatggat 540
atgcagttgc tgatgattcc tctgatcatg tcagtaactt atgtctgggc ccagctgaac 600
agagacatga ttgtatcatt ttggtttgga acacgattta aggcctgcta tttacctgg 660
gttatccttg gattcaacta tatcatcgga ggctcggtta tcaatgagct tattggaaat 720
ctggttggac atcttttatt tttcctaatt ttcagatacc caatggactt gggaggaaga 780
aattttctat ccacacctca gtttttgtag cgttggtgc ccagtaggag aggaggagta 840
tcaggatttg gtgtgcccc tgctagcatg aggcgagctg ctgatcagaa tggcggargc 900
gggagacaca actggggcca gggctttcga cttggagacc agtgaagggg cggcctcggg 960
cagccgctcc tctcaagcca catttctcc cagtgtctgg tgccttaac aactgcgttc 1020
tggtcaaac tggtggacct gaccacact gaatgtagtc tttcagtag agacaaagt 1080
tcttaaatcc cgaagaaaa tataagtgtt ccacaagttt cagattctc attcaagtc 1140
ttactgctgt gaagaacaaa taccaactgt gcaaattgca aaactgacta ctttttttg 1200
tgtcttctct tctcccttt ccgtctgaat aatgggtttt agcgggtcct agtctgctgg 1260
cattgagctg gggctgggtc accaaacct tcccaaaagg acccttatct ctttcttgca 1320
cacatgcctc tctccactt ttcccaacct ccacatttgc aactagaaga ggttgcccat 1380
aaaattgctc tgcccttgac aggttctgtt atttattgac ttttgccaag gcttggtcac 1440
aacaatcata ttcacgtaat tttccctt tgggtggcaga actgtagcaa tagggggaga 1500
agacaagcag cggatgaagc gttttctcag cttttggaat tgcttcgacc tgacatccgt 1560
tgtaaccgtt tgccacttct tcagatattt ttataaaaa gtaccactga gtcagtgaag 1620
gccacagatt ggtattaatg agatacgawg gttstgtggt gywgtttaag attaagaggc 1680
atacaccact tagtaacta atgaaagcct attgtgaacg acagggattg tcaatgaggc 1740
agatcagatt ccgatttgac gggcaaccaa tcaatgaaac agacacacct gcacagttgg 1800
aaatggagga tgaagataca attgatgtgt tccaacagca gacgggaggt gtctactga 1859
```

<210> 27

<211> 634

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
 <222> (525)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (561)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (629)
 <223> n equals a,t,g, or c

<400> 27
 gcacacatca gttccaggcc ccattccatt ctctgaacat cttctgacac actgacagtg 60
 ctgagcagag caagggttggg ttcgctcctc tggcagaacc tcggctctca ggaggtcctt 120
 gttccaggga acagctgctt ctctggggct gggctctact ccctgcagcc cctcgacta 180
 ccagctgga accaggga acgcctgagt ccaaccctcg tgtctatttt ccagaaaacg 240
 ggcaatgctg tgagagccat tggaagactg tcctctatgg caatgatctc agggctcagt 300
 ggcaggaaat cctcaacagg gtcaccaacc agcccgctca atgcagaaaa actagaatct 360
 gaagaagatg tgtcccaagc ttctcttgag gctgttgctg aggaaaagcc tcatgtaaaa 420
 ccctatttct ctaagaccat tcgcgattta gaagttgtgg agggaaagtgc tgctagattt 480
 gactgcaaga ttgaaggata ccagacccc gaggttgtct ggtncaaaag atggaccagt 540
 tcaatcaggg agtcccgcca ntttcagat agaytacgwt gaggacgggr acygytcttt 600
 aattattagt gatgtttccg gggatgacna tgcc 634

<210> 28
 <211> 1632
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <222> (926)
 <223> n equals a,t,g, or c

<400> 28
 cacggcgcggt gtgagtcaga acccagcagc cgtgtacccc gcagagccgc cagccccggg 60
 catgttccga gacttcgggg aaccgggccc gagctccggg aacggcgggc ggtacggcg 120
 ccccgccac ccccgccgc agcgaggca gccagcaga agttccacct ggtgccaagc 180
 atcaacacca tgagtggcag tcaggagctg cagtggatgg tacagcctca ttctctggg 240
 ccagcagtt acccaggcc tctgacctac cctcagtaca gccccccaca rccccggcca 300
 ggagtcattc gggccctggg gccgcctcca ggggtacgtc gaaggccttg tgaacagatc 360
 agccccggag aagaggagcg ccgcccagta aggcggagc ggaacaagct ggctgcgggc 420
 aagtgcagga accggaggaa ggaactgacc gacttcctgc aggcggagac tgacaaactg 480
 gaagatgaga aatctgggct gcagcgagag attgaggagc tgcagaagca gaaggagcgc 540
 ctgagctgg tgctggaagc ccaccgacct atctgcaaaa tcccgggaag agccaaggag 600
 ggggacacag gcagtaccag tggcaccagc agcccaccag cccctgccc cctgtacct 660
 tgtatctccc ttccccagc gcctgtgctt gaacctgagg cactgcacac cccacactc 720
 atgaccacac cctccctaac tcctttcacc ccagccctg tcttcacct cccagcact 780


```

cctgagcctt gtgcctcagc tcatcgcaag agtagcagca gcagcggaga cccatcctct 840
gacccccctt gctctccaac cctyctcgct ttgtgaggcg cctgagccct actycctgca 900
gatgccaccc tagccaatgt ctyctnccct tccccaccg gtccagctgg cctggacagt 960
atyccacaty caactycagc aacttcttyt ccatccctct aatgagactg accatattgt 1020
gcttcacagt agagccagct tggggccacc aaagctgccc actgkttctc ttgagctggc 1080
ctctctagca caatttgac taaatcagag acaaaatatt tccatttgt gccagaggaa 1140
tcctggcagc ccagagactt tgtagatcct tagaggtoct ctggagccct aaccccttcc 1200
agatcactgc cacactctcc atcacctctc tcctgtgac caccacaacc tatctcctga 1260
cagaaggtgc cactttaccc acctagaaca ctaactcacc agccccactg ccagcagcag 1320
caggtgattg gaccaggcca ttctgccgcc cctcctgaa ccgcacagct caggagggcs 1380
ccttggtctc tgtgatgagc tgatctgcgg atctcagctt tgagaagcct tcagctccag 1440
ggaatccaag cctccacagc gagggcagct gctattttatt ttctaaaga gagtattttt 1500
atacaaacct accaaaatgg aataaaaggc ttgaagctgt ggctgagtg cctcactgga 1560
cccagaggcc aatgggagag tatttgagc cctagggtccc agccttagct ctacagactc 1620
actgcaaaaa aa 1632

```

<210> 29

<211> 2539

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (936)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (951)

<223> n equals a,t,g, or c

<400> 29

```

ggaagaagag aagaaagaca gtggtgttgc ttcaacagaa gatagtctct catcacatat 60
aactgcagca gccattgctg ccaagaagca tccattctac accantcctg ctgttgatcat 120
ggcacacggt gaacagccca tccctggtct catcaattat tcccatcatt caacagatga 180
acggrttcca gactccatca tttctcgtgg tggtcaggtg ctcccacgag acacagcctc 240
cctcagcact actccttcag aatcgctcg tgctcaggct acatctcgcc tctctacagc 300
ttcctgcccc acacaaaaag tccagtccag gtgcagcagc aaggagaaca ttctcagagc 360
cagwcacagt gctgtcgata tcaccaaggt ggctagaaga catcgcatgt ytccttttcc 420
tctgacatct atggacaaa cctttatcac agtcttgag atgactccgg tgcttgggac 480
agaaatcatc aattaccgag atggaatggg gcgagtcctt gctcaagatg tatatgcaaa 540
agacaattta ccccccttcc cagcatcagt aaaagatggc tatgctgtcc gagctgtgta 600
tggcccagga gatcggttca tcattgggga atcccaagct ggtgaacagc caactcagac 660
agtaatgccg ggacaagtca tgcgggttac aacaggtgct ccaataccct gcggtgctga 720
tgcagtagta caagtggaag ataccgaact tatcagggaa tcagatgatg gcactgaaga 780
acttgaagtg cgaattctgg tgcaagctcg gccaggccaa gatatcagac ccatcggcca 840

```

```

tgacattaaa agaggggaat gtgttttggc caaaggaacc cacatgggcc cctcagagat 900
tggtcttctg gcaactgtag gtgtcacaga ggttgnaakt taataagttt nccagtgggt 960
gcagtcattg caacagggaa tgagctgcta aatcctgaag atgacctctt accaggggaag 1020
attcgagaca gcaatcgttc aactcttcta gcaacaattc aggaacatgg ttacccacag 1080
atcaacttgg gtattgtarg agacaaccca gatgacttac tcaatgcctt gaatgagggt 1140
atcagtcgtg ctgatgtcat catcacatca gggggtgtat ccatggggga aaaggactat 1200
stcaagcagg tgctgggaca ttgatcttca tgctcagatc ctttttggca gggtttttat 1260
gaaaccaggc ttgccaacaa cttttgcaac tttggatatt gatggtgtaa gaaaaataat 1320
ctttgcacta cctgggaatc ctgtatcggc tgtggtcacc tgcaatctct ttgttgtgcc 1380
tgacttgagg aaaatgcagg gcactctgga tcctcggcca accatcatca aagcaagggt 1440
atcatgtgat gtaaaacttg atcctcgtcc agaataccat cgggtgtatac taacttggca 1500
tcaccaagaa ccactacctt gggcacagag tacaggtaat caaatgagca gccgtctgat 1560
gagcatgcgc agtgccaatg gattgttgat gctacctcca aagacagaac agtacgtgga 1620
gctccacaaa ggcgagggtg tggatgtcat ggtcattgga cggctatgat ggtcaccagc 1680
aggagaaagc tttgatgcat gtccacatat cattgactgt atcctgtaat atgcaacggc 1740
acagctagtt ttcccgattt ggataaaagt tgatctgtat agtcaacatc ttgaactata 1800
tttcaaatga atttaaatat cttttaaaga aaaaaacacc taaaaataaa tettaacaga 1860
aaattctgtt ctgattatat caaggcaaat ttttccttct ttgcaaattg ctttgttgtt 1920
tcaatgctag gtctgatagc gatagytttt agtagacagc ggtaggtgcc tgcagaactt 1980
gtgtttttct catctttaa atacaactac ttatgctctt aaatcaaggc tgtctgctta 2040
tttatactag cgtaggcaac acttggattt cccttcttag tatgcttcat aactgcttta 2100
cagagagctt ttgcttgktc tttctcatgt atctcgtgtt tatgtgcaca gtgccaaaag 2160
aagactgact ggggtggagct ctgccttgcc tcaagaacca tcccctgcag agcatccagg 2220
gaggtttctc gccccaaatw cstcacggca cagtactctt gggcagtaac tggacacctt 2280
ttatttgaag aaacaaactg aagaaaaaat gcttccttaa gtgctgacag cttttttaac 2340
caatacatctt aaaattgtac agaacaaaaa aataaaatca aagactgatc ttgtacagat 2400
attagtgtta ccagcattca tgtggaaatc aagagcaaag acaaaataat gttaaacaat 2460
tctgtacatc aacattttct gtaatgatac tgaaacttaa tgaataaaaa aattccttga 2520
tcattattta aaaaaaaaaa
2539

```

<210> 30

<211> 494

<212> DNA

<213> Homo sapiens

<400> 30

```

gtcttctaga ggtagagtcg agtgtatctg agagtgtctt tctcttagaa taaatgacat 60
taacatatga aaaaacagct acttgtgcct gactatgggc attttcatgt acasgagttc 120
ttgaagctga gtttattgag aatggttttg ttacctgtct atagctatct ttttgtgttt 180
agttcttttt gacttctttg gctctaatg ttttgacagt ggcacttaga tgacagtcag 240
caattgcaac agtgaatgaa atcacacagc ttgagttcaa ggtggaaaga gaaaaaaatc 300
tagagaggat gttatctgac ctggcatgag aggtgatcat cctgtctctg agcagtgggt 360
tcttgctctc gaccttaggg tgtaatgtgg ccctgctcct tgtatggtga ataacttgtg 420
actgctgtgt ttaccacatg gtttgrcagt tkacaaagca ctttgkakat atattgcaca 480
ctctgcatcc ttac
494

```

<210> 31

<211> 1263

<212> DNA

<213> Homo sapiens

<400> 31

```
taaatgatgt tttgggtaag agtggaccat gagaattagc tgacagcacc cccctttctct 60
ctccctgcct tgggtgggacc ctccctgtgtg accttggcaa gtctcgaaact tttgtccgta 120
tttaaatgatg agctgtttta cctacttcat aagacagttg cgagggtgcca ttgattcttg 180
actgcaaaaat accttgaaac ccttatataa agactgaagk caacggagcc tagtgaaaga 240
cttactttgt ggcttgtggt tgaaagtcac atcaaaaagac aaatgtggcc acgttcagga 300
attggagact tactggcatg gctctacagc tgctcagtta ttaatcatgc agactaacct 360
gtcaacactg ggagatgcaa catagcaaaa ggacagagaa attagaattt tttgtgcaga 420
aagccctaaa ttcccacctg aatgtaactt acagctccct tacctactct cacacatgcc 480
ctcaaacatg ctagattggc ttatacatag gccaacacaa aatacaaacg tgacgtgttc 540
atgtagccta gtggctatat gcctattctc catgtaccct gcatggtagt gctgcaaac 600
ttaaagtaca tttctttcac agcagtattt tttttcataa gtggcatata aatctcattc 660
aatgaaatgs ggaaatcacg ttgagaagtt ggtctgtcat ctcccattga gcaaagactg 720
gcaggagata ataaaaataa atatgggcac acatgtatta atatacagca cgcattttaca 780
agtttatttt ccagataaaa ttgtgctata agaacagctc taccaagaca gtctgcacca 840
tttccaagtc tcagttaatt tacagcaact gctgctttcg gagatggctg tgaaaatatg 900
gaagtccctc tcaagtaggc ccaagaaaca gttctagatt ttactaagtt ttatttttgtc 960
aggtttttta aattttttca gtgagcgtgg tgactgcaga ggtttagtgct gtgaaaagct 1020
gggctaaata ttctttctgt aaagtcaaac aggattccat cccctgtgaa ataacacaaa 1080
atttcactct ctaaaagcaa cagcatgtaa actagaatga aagaaggaaa ttatgtacgt 1140
atgcctaata ttctttgtga atgtctttca tttaactaaa attatattag aaaccagatt 1200
gataaataaa aaattcaaag tagttttaat tatcctaaaa aaaaaaaaaa aaaaaaaagt 1260
ttt 1263
```

<210> 32

<211> 337

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<400> 32

```
ggcacgaggc aaaaatgaaa acaaggcagc agcatcagac ctatcttttag attgtttttt 60
ttttctctct cttttacaag tgtcagttta attccagagc cctggcccag tattttctga 120
tgattttctc cccaaggaag agaaggaaat ccctgctggt tacacagctg cgatgtcaga 180
cttcctctga aacatgcact gttgctgcct attagcataa cttcagctc tcattctctc 240
ctgactgatt agtgatctgc aggcagttta aaaaacatac tttggagggg ccgggctggt 300
tggtcacgc ctataatccc agcactttgg gaggctn 337
```

<210> 33

<211> 1742

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (17)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1576)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1578)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1621)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1724)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1733)
<223> n equals a,t,g, or c

<400> 33
gtgggggggna gggggganaag gccaaagactg gggwagaatt ttaaagattc aacactgggtg 60
tacatatgtc cgctgggtga gttgacctgt ggcctcgcac agtgattctg ggccctttat 120
gcttgctgtc tctcagaatt gttttcttac cttttaatgt aatgacgagt gtgcttcagt 180
ttgttttagca aaaccactct cttgaatcac gttaactttt gagattaaaa aaaaaaacgc 240
catagcacag ctgtctttat gcaagcaaga gcacatctac tccagcatga tctgtcatct 300
aaagacttga aaacaaaaaa cagttactta tagtcaatgg gtaagcagag tctgaattta 360
tactaatcaa gacaaacctt tgaaaggtta cactaagtac agaactttta aaccttgctt 420
tgtatgagtt gtactttttg aacataagct gcacttttat tttctaattg agaggatgaa 480
taagttaaat acatgctttg aggatagaag cagatgttct gtttggcacc acgttataat 540
ctgcttattt tacaatatac acgtttccct aagaaatcat ggcagagatg tgagggcaga 600
atatacacaa cagatgctga aggagaagga gggtagtggt ttgcaaaaaga aaaagaaaag 660
aaccaacaga attttaactc tattaacttt tccaaatttt cctatgcttt tagttaacat 720
cattattgta tcctaattgc actaggggag agagcttttg actctgttgg gttttatttg 780
aatgtgtgca taacagtaat gagatctgga aacacctatt ttttggggaa aaagggttgt 840
tggctctcct cctgtgttcc tacraaactc ccaactctcag gtgcaagagt tatgtagaag 900
gaaagggagc tgaaatagga acagaaaaat caacccttat aactagtga caccaaggga 960
aaataaccaca atgatttcag aggagactct gcaaaaatcgt cccttggtga gaatgcaggc 1020
aacatgggaat actacgaatg aaatcacatc actgtatctt ttacatcaat agcctcacca 1080
ctaatatatc ttgtatctag gtgtctataa tggctgaaac cactacatcc atctatgcca 1140

```
tttacctgaa aacttaactg tggcctttat gaggccagaa aagtgaactg agttttcgta 1200
gttaagacct caaatgaggg gagtcagcag tgatcatggg ggaaatgttt acatTTTTTT 1260
tttcttcaga agtaacgctt tctgatgatt ttatctgata tttaaaacag ggagctatgg 1320
tgcactctag ttataacttg cgctctgaaa tgtgtaaaca tagggtgcct acctatttca 1380
cctgacctat actcgtttct gattcagaat cagtgtgggc tcctgcagtg ggcgcgggtc 1440
acggctgact ccaacttcca atacaacagc catcactagc acagtgtttt tttgtttaac 1500
caacgtagtt gtwattagta gttctataaa gagaactgct tttaacatta ggggactggg 1560
gagcagtgca tggggntnaa aaagggaagt gttttctcac grggaaaaca tgytcaggga 1620
naawtaaagg aacactttct accyctgttt ccaggatttt tgaaacactt wtttttaaac 1680
ccaattttta atttcygtgt tcccaaaata ggTTTTTTtag gggnccatctg ttntttcccc 1740
ta 1742
```

<210> 34

<211> 1166

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (965)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1090)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1094)

<223> n equals a,t,g, or c

<400> 34

```
ccggaatgaa aacaaacggc ggccgctgcc gagtccgggc actctgctgg tcgcggcggg 60
agtggcgtag cgcagggatg gcacaaaaga aatatcttca agcaaaattg acccagtttt 120
taagggaaga caggattcaa ctttggaac ctccatatac agatgaaaat aaaaaagttg 180
gtttggcatt aaaggacctt gctaagcagt actctgacag actagaatgc tgtgaaaatg 240
aagtagaaaa ggtaatagaa gaaatacgtt gcaaggcaat tgagcgtgga acaggaaatg 300
acaattatag aacaacggga attgctacaa tcgaggtgtt tttaccacca agactaaaaa 360
aagataggaa aaacttggtg gagacccgat tgcacatcac tggcagagaa ctgaggtcca 420
aaatagctga aacctttgga cttcaagaaa attatatcaa aattgtcata aataagaagc 480
aactacaact agggaaaacc cttgaagaac aaggcgtggc tcacaatgtg aaagcgatgg 540
tgcttgaact aaaacaatct gaagaggacg cgaggaaaaa cttccagtta gaggaagagg 600
agcaaaatga ggccaaactc aaagaaaaac aaattcagag gaccaagaga ggactagaaa 660
tactggcaaa gagagcagca gagacagtgg tggatccaga aatgacaccg tacttagaca 720
tagctaacca gacaggcaga tcaatcagaa ttcccccatc agaaagaaaa gcccttatgt 780
tagctatggg atatcatgag aagggcagag ctttcctgaa aagaaaagaa tatggaatag 840
ccttgccatg tctgttggac gctgacaaat atttctgtga gtgttgacaga ragctgctgg 900
acacagtgga taactacgcc gtccctccagc tggatatagt gtggtgttam ttccgcctgg 960
aacanctgga atgccttgat gatgcagaaa aaaaattaaa cttggsccag aaatgcttta 1020
aaaattgtta cggagaaaat cmtcagagac tggccacat aaaagtatgt tcctgggaat 1080
```

tcatacttatn ggcncgttga gtccatttct agcattttgtg tttattcctg ttaaagtatt 1140
tgaactactg ccagaagggtg gatattt 1166

<210> 35

<211> 1049

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<400> 35

gatgggtgcc cccggcngca ggaattcggc cagcaggntg gtgctggggc ttcttctcct 60
gaaggggctg caagagggaa ggcttagcca tgtcgtcctt gatcagaagg gtgatcagca 120
ccgcgaaagc cccagggggc attggaccct acagtcaagc tgtattagtc gacaggacca 180
tttacatttc aggacagata ggcattggacc cttcaagtgg acagcttggtg tcaggagggg 240
tagcagaaga agctaaacaa gctcttaaaa acatgggtga aattctgaaa gctgcaggct 300
gtgacttcac taacgtggtg aaaacaactg ttcttctggc tgacataaat gacttcaata 360
ctgtcaatga aatctacaaa cagtatttca agagtaattt tcttgctaga gctgcttacc 420
aagttgctgc ttaccctaaa ggcagccgaa ttgaaattga agcagtagct atccaaggac 480
cactgacaac ggcattcacta taagtggggc cagtgtgtgt tagtctggaa ttgttaacat 540
tttaattttt acaattgatg taacatctta attaaccttt taattttcac aattgatgac 600
agtgtgagtt tgatgaaaat atctgaagct attatggaaa taccatgtaa tagggagagt 660
tgaacatgaa tattagagaa ggaatccagt tactttttta aattacacct gtgtgcacct 720
gtattactga atataggaaa gagataccca ttacatagtt actcagtaaa caaaagagaa 780
ataccaggta ggaaagaaga gttactattc ctgagaaata atcaagaaca tatttaattt 840
aaactaatga tgtgaactat ttagttttga tgtccggtat gtgattctgc ttttacttga 900
gtaaaattaa agtgttttaa tttgagatca aggagaagat agtggaacaa aatgttatat 960
agataatatt tttctaattg aaataaaaata ggcagatttc aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaactcga 1049

<210> 36

<211> 489

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<400> 36

```
gtttgttgcc tgcctgtttt aatgttctgg cttgaggcag cgagcccttg actatgccac 60
attgccagga ttttgcaggt tagattgtac tacagcactg cctttggctt gccagactct 120
ggagtcccca cattttcatc ctgttctcag gaaaacactt tgaccactt gaagctctga 180
gctactgctt cacagcttcc tggggtcagt ctccagccaa aaccatagat atcccaamwg 240
cagccaaacc acggtctctg gcgaaggaac gattagggtt actstagggt tccacaccct 300
gatgctcctg gcctttaatt tgacaactct ggactgccag gttttcacag acngttggac 360
atggattcaa gattgggaat gtnangggat ggtttggcaa cagtgtttgc tttgagcagt 420
tttaaaattt ggccaggaga ttcattgtgag caagaaatgt tagataccag ttttttgggg 480
tcaagggggg                                     489
```

<210> 37

<211> 598

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (595)

<223> n equals a,t,g, or c

<400> 37

```
gactcccaga gtgctgggat ttcagggtgtg agccactatg cccagcctaa tacgtggatt 60
tttaaagctt caggttcttg ttcagaagtt tcctgggtct cattaaaata atgaggcact 120
cagaattggg ctaataaaaa taacgaccat ttctttctac tccagtctct ttcacaaact 180
tcttagtgaa aatgacaagt gaggccttc agtaggggca ttttcagtgg agataatagc 240
ggcagacctg agaccttggg ctaggtagtt tattctcatt tctgaacaga tgatgaattt 300
tctcagatga cctaagaaa ttgttttacc aaaaacaaag tgatctattt gctttgggag 360
gaactccctt ccttttggtt ctcttccctt ccccccttcc cctgcggttg tagagcccgt 420
tctgtccggt cgtgggtctg tccagccatg atccgggagt cctagcttgc taatggamca 480
cctgagatgt tccttatggc tcaaggctwa aattgaagggt gggaaccacc tgaagcctcc 540
gtggggaggc cttgsgggag gttwggccta aargcattag gaagatacta gcttnagg 598
```

<210> 38

<211> 762

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (725)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (730)

<223> n equals a,t,g, or c

<400> 38

```
gtctttggga actcaaaaag ttatctgtgc attttcatcc ctccgtggcc ctttttgcaa 60
agaccatcct tcagggaac tatattcagt attcagggga cccactgcag gatttcactc 120
taatgagatt tttggatcga tttgtatacc gaaatccaaa gcccataaa ggcaaagaaa 180
acacagatag tggtgtgatg cagccgaaaa gaaaacattt tattaaggat attcgtcatc 240
ttcctgtgaa cagtaaggag ttcccttgcaa aagaagaaag ccaaatacca gtggatgaag 300
tgtttttcca caggtattat aaaaaagttg ctgttaaaga gaaacaaaaa cgggatgcag 360
atgaagaaag tatagaagac gtggatgatg aagaatttga agagctgatt gacacatttg 420
aagatgataa ctgtttcagc tctggaaaag atgatatgga ttttgctgga aacgtgaaaa 480
agagaacaaa aggagctaag gataacacat tagatgaaga ttcagaagggt agtgatgatg 540
aacttggtaa cctggatgac gatgraagtt tctttaggga agtatggatg atggaagaat 600
ttgctggaag ttgatggaag atgggagggg acattycatg ggatgtgttt agatggatgg 660
aaagtggaga gtgtttccag aacttggaag ttccactccc aaagtccagt accaaggaaa 720
agccnagagn aaaagggtac cagtggattt ttggaccttg gc 762
```

<210> 39

<211> 1958

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1835)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1885)

<223> n equals a,t,g, or c

<400> 39

```
tcgagttttt tttttttttt ttctcgtgag cttaggccgc tggtttttgtt gattttttgtc 60
tgattgcaat gtctggacgt ggtaagcaag gaggcaaacg tcgcgccaaa gcgaaatccc 120
gctcttctcg cgctgggtctc cagttcccgg tgggcccagat gcaccgcctg ctccgtaaag 180
gcaactacgc agagcggggt ggggcaggcg cgccggtgta cctggcggcg gtgttagagt 240
acctgaccgc cgagatcctg gagctggccg gcaacgcggc tcgcgacaac aagaagactc 300
gcatcatccc gcgccacttg cagctggcca tccgcaacga cgaggagctc aacaaactgc 360
taggccgggt gaccattgct cagggcggcg tccctcctaa catccaggcc gtgcttctgc 420
ctaagaagac cgagagtcac cacaaggcca agggcaagtg atttgacagg tatctgagct 480
cccggaacg ctatcaaac caaaggctct ttccagagcc cccctaccgt ttcaaaggaa 540
gagctaacct cactgcttgt aggtagaagg aaaaaaggca ctaagggttg aaaagcttct 600
catttcagag agatgccagg atcctaagtg cctgccaaac ttaccaattc taaggaataa 660
gtggatggat ggcattactg attcctacat tactgattga ttctgcatcc gcaaatgtgt 720
ttattaaaaa cattctacat catgtgtggg gagataagga ggataaaatg aagagaaaga 780
atattattga ggggaagtgc ttctgaatac aaaatgtgtt taatttttta aataagtatt 840
acattcacag ggttcaaaact atttgaagta aagagattat atataaagaa tccatccctc 900
aacttaccga ggtggtcact tttctttttc ttgtgtatct gccagatt cattcctgct 960
```



```

gatatcagtc aataatgaat gatacgtgtt ttcttcactt ttttcattct tgtcaggtag 1020
cagactgtgt agacttttct gcacttgccc ttttcataac aatctatctt ggagaacttt 1080
ccctatgaga acatacagag ctctctgtac acagttgcat gtactgcatt atgcaaagtc 1140
attatatatt atgtaacctg tccactgttg gtaggcactt gagttgtttt agtcttttgc 1200
tatcaaacag ttctgggatg attaaccctg atttactgca aaattgaaat tgcctctgcta 1260
ttctgctgga atgggtggtg gtgaactgaa aattccagtc actcttgggc tagactcaac 1320
gttcttataaa actatgtggc catcaccaaa ttagttatatt tgaaccttaa tttcttcacc 1380
tctaaaatgg aggttaatact taccttaagt ggctatgaga atgaagatca tgtgtatgaa 1440
ttgttggtgc tctaaagaac agcacaaaata aaattatattt caaatttaat ttttaattgaa 1500
ctatgtgtaa tttcttaatt ttgaaataat tttatttgta atgtgcataa tcttatttaa 1560
tgtataatgt atacattgta atagaaacag atttcccaaa ttccagcctg gcatgaggta 1620
ataaaaggta atgcaaaggg araggaaagc atgtgtcatt aattttctgc ctaggacacc 1680
tccttggtta aattgccatt tcctttcttc cttgcataat gattaggaaa cacatcctcc 1740
tgacctgcct gccctctttt gcctactttt tcatctgcag tcaaggctcg gttttaagac 1800
tgactgttac ttttacaagt ctgtgtgtat tggtnggcta agggcctgta tgggtccact 1860
gctgtattcc cagggtccca gcatnggkgc ctggacgctg cckgggcaaa tagtagtcac 1920
ccgaggaaat gggctggatg gaatttcag gagggcct 1958

```

<210> 40

<211> 477

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<400> 40

```

gcccangtct ccgcttcccc cgtcttgtac acccctaact cctgaggctc ctccgaatca 60
cgcganggaa agcggagaag ctcaagtggc cgccatgtca gaggcattatt tccgagtggg 120
gtcgggtgcg ctggggcctg aggagaactt tctttctttg gacgacatcc tgatgtccca 180
cgagaagctg ccggtgcgca cggagaccgc catgcctcgc cttgggcttt cttcctggag 240
cggagnaagg cgccgagact gacaacgcgg tcccacagac ttttatcgga cgttttcgcc 300
gcatcatgga ctcttcacag aatgcttaca acgaagacac ttcagccctg ggtagccagg 360
ctagacgaga tggagagggg cttatttcaa acagggcaga aaggactgaa tgactttcag 420

```

tggtgggaga agggggcaggc ttctcagatc acagcttcca acctcgttca gaattaa 477

<210> 41

<211> 860

<212> DNA

<213> Homo sapiens

<400> 41

```
ggcgacgagc tcgtgccgaa tcggcactag tggaggatgg gcttctcgag gggtctctgc 60
ttcactaact cccgagagaa ctcccacagg ctcttctctgc tgggtgcaagc ttttgggggt 120
gtggacgtgg ctgagttctc ctgcgcgtac gggcctggcc agaggaggat gatcctgaag 180
cagtttgaac aggggaagat ccagctgctc atcagcacgg accccaccgc gcgaggcwtc 240
gacgtgcagg gtgtggagct ggtggtgaac tacgacgccc cccagtacct gagaacctac 300
gtgcaccggg ttgggaggac agctcgcgct gggaaaactg gacaggcctt cacactgctc 360
ctgaaagtgc aggagaggag attcctccga atgctaactg aagctggggc acctgagttg 420
cagcggcacg agctctccag caagctgctg cagccgctgg ttctctcggtc cgaggaggcc 480
ctgtcccagc tggaggagtc tgtcaaggaa gagcrcaagc agagggcggc ctargctggg 540
gctcaaaggg ccggaggggac tkaacgctca ccaccctgac cctycttyca gagcagtgtc 600
gatcactgga tctgttatgt gaggaaagga atccccagc ggacacagcc ttcttcccca 660
agcacgtggt ctctgcgccca ggcagcccg gcgtcagagc tcaagcacct gccccgactg 720
gagacttcag ggcttgtcac ttctcagagt tggaggtcag gatggctgcg ggcaatgaag 780
ccttagtaaa acggtgaaaa gtactccag acggacgcgg gcacccgtca tgcttttgct 840
gagagttggg ggcattaacc                                     860
```

<210> 42

<211> 1131

<212> DNA

<213> Homo sapiens

<400> 42

```
aaactagtgg atcccccggg ctgcaggaat tcggcacgag cagcatcagc cttagaacaa 60
gaaccttacc ttcaaggagc aagtgaagaa ctctgtgaag gatggaactt tcagatatca 120
actattttaga gtccagaggg agccatggca ctagaaatag ttgataatga aatgagattt 180
tatgaagtat accgctccac ctatgagcgt ctgtctctgt gggcttggga tgtaacagg 240
agccaaaagg agggaaagtg tgaagaataa agtagatctg agaaattctg agccaatcag 300
gcttcttaat tcaagagaca aaccaagacg ttctgtcaac tgtgctgtgc tcttctttaa 360
gccaatgaac cccaattcct ggcagtctac aagaagtctc ttaatgctaa tgaagaattt 420
aaaggtcttt ttaaggaaat gaagggtctt ccaaatagaa tgatttactc tgaagaaaca 480
aacaatggta tctctgaaac tcacaacctc aagcccaatc ttgaaaatat gttgtgcacc 540
aagacgactg cttcagcttc ttctcttatt cttactttct ttaatagata tttattaaac 600
tgtccagtga aaaggtgcc aatgcccag tattgtaaac aacaggtttg cattcatgaa 660
gcttttcattc attctggagt ctactaattt acctgaatgg tgtttgcatt ctgtgaaatg 720
cctctccacg ttgcatatgt cacacttttg tctgcacata actctttttt cacaagaagg 780
gtcactgcc aacagcaca gtcagcgggt gaattacagg tgcctgctgc ctgcctacct 840
gggtaatctg atcttgtctg tatcgccgtg tgctcatcac tgaagaattg caggccactc 900
atgtcagtga ccagatttgt ggcttataaa cattagcagt ttatttatgt tttagatgc 960
aaagatgtgt gtttgatatt cactttaata attagaaatg gatcttgtaa acagggcata 1020
tatcaaagat gaccttataa tatgtacccg aatatacagt tcaagaattt tgtctgactg 1080
gaaataaatg cattttgtag caaaaaaaaa aaaaaamaaa aaaaaaaaaa a 1131
```

<210> 43

<211> 1334
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1019)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1204)
<223> n equals a,t,g, or c

<400> 43
acgaggsaac tagttctctc tctctctctc catgaccccg cagettctcc tggcccttgt 60
cctctggggc agctgccgc cctgcagtgg aaggaaaggg ccccagcag ctctgacact 120
gcccgggtg caatgccgag cctctcggtc ccgatcgcc gtggattgct cctggacct 180
gccgcctgct ccaaaactcca ccagcccggt gtcttcatt gccacgtaca ggctcggcat 240
ggctgcccgg ggccacagct ggccctgcct gcagcagacg ccaacgtcca ccagctgcac 300
catcacggat gtccagctgt tctccatggc tccctacgtg ctcaatgtca ccgccgtcca 360
ccctggggc tccagcagca gcttcgtgcc ttccataaca gagcacatca tcaagccga 420
ccctccagaa ggctgcgc taagccccct cgtgagcgc castagcagg tgcagtggga 480
gcctccggg tccggccct tccagagat cttctcactg aagtactgga tccgttaca 540
gcgtcaggga gctgcgcgt tccaccgggt ggggcccatt gaagccacgt ccttcactct 600
cagggtgtg cggcccgag ccaggtacta cgtccaagtg gcggctcagg acctcacaga 660
ctacgggaa ctgagtact ggagtctccc cggcactgcc acaatgagcc tgggcaagta 720
gcaagggtt cccgctgct ccagacagca cctgggtcct cggccacctc agccccggga 780
cacctgttg agggcggtg ggatctgcct agcctgggt ggagtccttg ctttgctgct 840
gctgagctgc cgggcaacct cagatgaccg acttttccct ttgagcctca gtttctctag 900
ctgagaaatg gagatgtact actctctcct ttacctttac ctttaccaca gtgcagggt 960
gactgaactg tactgtgag atatttttta ttgtttaatt aggaaaagaa ttgtgttng 1020
ggctgggccc aktggtcgcm amctgtaatc ccagtcaytg ggaagccgac gtgggagggt 1080
agcttraggc caggagctyg aaaccagtcc gggccacaca gcaagacccc atytctaaaa 1140
aattaatata aatataaaat aaaaaaacgc ccatagtcac acaaagcccc cgcaccaata 1200
ggancctccc gaatcaacct tgacctctc cttcataac ctaacctgac tagaaaagct 1260
attacctaaa acaatttcac agcaccaaat ctccacctcc atcatcacct caacccaaaa 1320
aggcataatt aaac 1334

<210> 44
<211> 2351
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1106)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (2324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2350)

<223> n equals a,t,g, or c

<400> 44

```
gaacatttgg ggcagggggg aaatttttggc agtttgagca tcatgaggtg taacaagaaa 60
tggttgaat gggccaaatg caaggagtgc atctctgggc tgcaaactga cttgagtgc 120
gcactattgc tattccgtgc aaacaaaact cagcttttcc tgactcagtt ccttgactta 180
gtggccttta caaaaaaagt tgagtagtgt gtggcctgct gtcgcacagc ccctagttag 240
cttcatgggt tctcagcttc agacccctcc agccacaga ggagcccatg gagggaccca 300
cttcccttgg tccagacagc tgggagtggg ttagggccac tgctgttttg agcagggcca 360
cttgctccat ttactgaag gctttgctgg gtgaaaacac ttcagcatct cctcctcagg 420
tcaaccata aagaccagg tccagaccgt ggtcttggca catccctggc ctcaggccct 480
cacctaacag tgaggcagca gctgcccagc cccgcaatgt gcctgctgtc aggcagctct 540
tgctgaaac ttacttccac attcttctct gatgggcagg tggctgaagg ccagccatc 600
agtgtcgtt gttgccccc cgtgcctccc ttggcctctc tgagctttgc ccagaagacc 660
aacaatcata cataccctaa ctgggacacc actctgcaga atgcagatga tccattctgg 720
aggaagctgt cccttgagct cagtgcagtc ccaggcaagc agggcatctg gccgacttcc 780
ctcacaacag ctgctccac atccctctgg actggagctt cagccctgac tgaggtgggc 840
agacctaga cctgagacca caagattagc tcagtgtcta ccaagcatct agccactgtc 900
cagggccaga gcataccacg tctgcagtgc ctgtgagcag agccagcagt tgccctgtga 960
ctgtaaccac caaattgtcc aaacacccgc tgcagttagc aagaagggtg ggcttcaccc 1020
tcttttactg aggagaatga tgcggaggag tttctctcc agggctaggc aaggcaggcg 1080
agcagccaga agccgggtgc ccacanggca gggacaggaa ggctgtgctg ctactggctg 1140
ctcacttctc catcaacctc accctctgca ccactaacca agacctgtc ctcttgctg 1200
tctcgctgct ttcacagctg caacgattgt gtctgcctca tggggttttc ctccagagcc 1260
tttattctgt agccagacga cagcaggagt ctgtgtcact gagccagtgc ttctagatgc 1320
taccctgtgt gggcggcacc tcagggacag taaatcagaa atgctggtct tgaaaccttg 1380
aaaagatcaa gctgaatggt ccttttctatc tgtcgtgtgt gatcttctatc tatttaaata 1440
ggatattctaa cgtttcctct ctgtatttca tgaagctgat ttcctctctc tttccttttc 1500
agcaatactg gagtaaccgc ttctaaacc attttgcaga aatgtaaggg tggtcggttg 1560
cgtgcatgtg cgttttttagc aacacatcta ccaaccctgt gcatgactga tggtagggaa 1620
aaagaaaagt aaaaaacttc ccaactcact ttgtgttatg tggaggaaat gtgtattacc 1680
aatgggggtg ttagctttta aatcaaaata ctgattacag atgtacaatt tagcttaatc 1740
agaaagcctc tccagagaag tttggtttct ttgctgcaag aggaatgagg ctctgtaacc 1800
ttatctaaga acttggaagc cgtcagccaa gtcgccacat ttctctgcaa aatgtcatag 1860
cttatataaa tgtacagtat tcaattgtaa tgcatgcctt cggttgtaag tagccagatc 1920
cctctccagt gacattggaa catgctactt ttttaattggc cctgtacagt ttgcttattt 1980
ataaattcat taaaaacact acagggtgtg aatggttaaa atgtaggcct ccagttcatt 2040
ttcagttatt ttctgagtgt gcagacagct atttcgcact gtattaaatg taacttattt 2100
aatgaaatca gaagcagtag acagatgttg gtgcaataca aatattgtga tgcatttatc 2160
ttaataaaat gctaaatgtc aatttatcac tgcgcatgtt tgactttaga ctgtaaatag 2220
```

agatcagttt gtttctttct gtgctggtta caatgagcgt cgcacagaca tggtttcagg 2280
taaataaatc tattctatga taaaaaaaaa aaaaaaaaaa gggnggcccc nctaaggggt 2340
ccaagcttan g 2351

<210> 45

<211> 1587

<212> DNA

<213> Homo sapiens

<400> 45

ttttgcaaaa tgtgcttatg tgacactata gaaggtacgc ctgcaggtac cggtcgggaa 60
ttcccgggtc gacccacgcg tccgcccacg cgtccggccc catcacacct ggccgatttt 120
tatttttttg tagagatggg gttgtccagg ctggtctcaa actcctgagc tcaagcaatg 180
tgcccgccct ggcttcccaa agtgctggga ttataggcgt aaaccactgc acgcagccta 240
ccctctgcct ttttaagatg atgtatttat ttaatttttg ccatcattgg tgettcacct 300
tcctgcgaag gaaattccag agcctgtatt taagctacct aggccttttac actcccttta 360
ttgccttttc aaatagtatc tcatttggtg tactctagtg tcctatacct cttggaaacg 420
aaagaggggc caacctacaa ctaagaaggg acaaaccttg aactaagtaa gaccttacac 480
accagaaaag aacactgggc cctccttctt cagggacaat gcagtagcca cttggcttgt 540
ggaattttact gaaggctatt tcctgtaact tgctagttaa cttagttttg tatttcaggc 600
agaggtgcgc tctgtaatgt tgggcctttg acttcacagt actggagagc tgttcacaca 660
gatgtttaga cctttctctc tctctctctc tcttttcttc tttctcaaca actctttcac 720
agaggcagtc attttgaaaag gttgaaatat ttggccttta ccaaagagct ttttttttcc 780
ttaagcaaaa tcctttcaga aagaaacaaa tggggaaggg cagattaaga atgcatatgt 840
cccaatccac ttctatagga gtttaatcat attcacatga gtaaaatgat ggaagaactc 900
tttaaggtaa tcctttggga taaaggatcc tgggaagttc tctcaggtaa agaaagctta 960
cagcagattt gtaatatatg tctggagagc tatttataag aaatttaaga ggattgtttt 1020
gttttccttt attaaagatt taagcctttt tactttgcaa aaagaaaact acaaaagttt 1080
tatagatata actttgctaa ttttttaaac ttttctgaaa cgattagctg tagccaaatt 1140
atgtggttac gttttgctac attagaattt gaaaatgcaa tatgtgtggt aaatctactg 1200
tttgaaattt ataatggtct ctgatatgat tcgaattttg gtaacttttg aaagtatttt 1260
tcccccttta gtcattgatt tctatttggt ttttaatggt aatttttcta gaaagcatct 1320
gaattgacta ggcttttccct atataaaaaa ctcaaaactt gttaactctg tactttaata 1380
aaatttaaaa ttaaaactgt gttgtttttt tctcttctgc tagatacata tataattaaa 1440
gtactcaagt tagttgtttt gcagagatgt tgccttcaga tgtaatcag gtctctcaag 1500
tttcatggag tctatgctga tcctttaatt gacaaataaa agatatatat ctgtggtgtg 1560
caaaaaaaca aaaaaaaaaa aaaaaaa 1587

<210> 46

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (345)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<400> 46

```
aattcggcac gagaatcact ggggtggcctt ccccatgctg ttctcttgat agtgagttct 60
catgagatct gatggctttg taagtgtttg gtagtttttc ctgtattcat tctccctcct 120
gccaccttgt gaagaagggtg ccttggttcc cctttacctt caaccatgac tgtaaatttc 180
ctgaggcccc ccagccatg ggggactgtg agtcaattaa acctctttcc ttataaatt 240
accagtcctc gggcagtttt cttatagcag tatgagaatg gacttaataa aggtaggttt 300
aaaaagtatg gctkgggcat tgtagctcaa cacctgtagg tcaanagcta nctttgggtg 360
ggctgaggca ggagggacg                               379
```

<210> 47

<211> 1920

<212> DNA

<213> Homo sapiens

<400> 47

```
catcatcgta tcaattgtgt tcatctatat cattgtttca cctctctgtg gtggatttac 60
atggccaagc tgtgtgaaga aataggaaag aagaagttac cattaaccaa ggatatgaga 120
gaacaaggag ttaaaagcaa tccatgtgac tcaagccttt cacatactga cagatgggtat 180
ctgccagtct cttcaacctt cttctcactt tttaaaatct tgttccatgc ctccaggttt 240
atctttgtct tatctaccag tttattcctg tgaacttcag attgaaccat tcattgcagc 300
agtagcctta aaaaggcttt tgtttatttc tttggtttgt taactagtgt catctattta 360
gagaaacatt tttgttttta attgctcaaa gctgtgcgcg ctagtcttat gagctatcta 420
ctaaaactat ggagaaactt tgtatgtgca cacaaaagta ttcaagagac agtattgcta 480
acatctcatc ttaatgtctt ttgttattga gaagttttag gtgcttcaaa acaatataaa 540
tggaataatg ttgttatttg gggaattgta atgatgttgg tgctgcttcc ttctaagagc 600
tcagacaagt aaagtatgaa acattcttat ttcagttaga tggggaacat tttgctagcc 660
cattagaagc acacagaatt atccttgtcc tcctaataat gactttcagg aataaagttc 720
agtgtgctga tcattcacia tacagtggat agcttgatat cttctgtttt cccattgcag 780
ttgatttgag aagatgaagg tttaaatatt gttgaaagt gtcagttttt aaatgtgttc 840
ctttttcttc tgtgaatatt tagggcaatc gtgtcgctaa tagaatatgt agtagagggg 900
gtggggaggt aaattcctct gacttgccaa agaaaaagaa gggaaccaca gtggatatgc 960
tagcatttta gctgtgcaaa gggaggtagt gtgggaaaag tgtttccatt ctgggaaaag 1020
cccaaaccga atacggtcag cagtcaactc cagggttttg gcttgattcc tgttgaataa 1080
tagttttgag cattctttgt ggttaaataa attcttaaat ctgcctagtt ttgatgaatt 1140
cttttgtaga acttgaaaga gaatagacag tatgacatat agaattaata caaaacagtt 1200
taacaaccat ttaactgcag tgtaagaaaa ttggactgta atcatatcgc tactggcatc 1260
tgttatctag tatgcatttc tgggtgtgtat ctgaaaggaa gacattttct accctagatc 1320
caattgcatt tatttatcaa taagtgccat taaattgaaa ttatattaca ttttacactt 1380
tctcaatgaa tgaacaaatt agtctgtaga atctagccac ctgttttagcc tagtcatgtg 1440
ccttgaacat atatgtgtcc cataatctgg ctcatggtac ctgttcttct atccaaacct 1500
ttcaattcat gctacctgat tcatttattt gacatagatc ttagggccac ttgaactctt 1560
ttcttgttta tctagcatag cacaaacgtt tttccagtct tctttatcaa cactaatgcc 1620
tcttaattgc atcagtattt cctattggaa aatacatctg ttccagaaaa acatttgcca 1680
ttcctgaata atttccaaat gtttttaatc caaagaaaaa ggtttaaagc ttatttccct 1740
ttcttataca cacctgaata aaattgatgt gcatgtttta gggatcaatt acctaacgtt 1800
tccttggctc atttatgtat aagaatgctt tttaaagcac atgtctcatt ttaaagacg 1860
cacaaactga agatgttaat aaaatttaag agtaatacaa aaaaaaaaaa aaaaaaaaaa 1920
```

<210> 48